



Printer specifications

Description	BBP35 Multicolour Sign & Label Printer	BBP37 Multicolour & Cut Sign & Label Printer
Language Support	Bulgarian, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Turkish	Bulgarian, Croatian, Czech, Danish, Dutch, English, Estonian, Finnish, French, German, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Russian, Slovak, Slovenian, Spanish, Swedish, Turkish
Software Compatibility	Brady Workstation	Brady Workstation
Bar Code Type	Code 39, Code 128 Auto, Interleaved 2 of 5; QR Code; PDF417; More Through Brady WorkStation	Code 39, Code 128 Auto, Interleaved 2 of 5; QR Code; PDF417; More Through Brady WorkStation
Recommended Usage per Day	Around 1,500 labels/day, depending on specific label size, text printed and other factors.	Around 1,500 labels/day, depending on specific label size, text printed and other factors.
Built-in Symbols	664	664
Colour Capability	Multicolour; Monocolour	Multicolour; Monocolour
Stand-alone Printing (Detached from PC)	Stand-alone & Peripheral	Stand-alone & Peripheral
Connectivity Options	USB, Bluetooth. Optional: Ethernet, WiFi	USB, Bluetooth. Optional: Ethernet, WiFi
Internal Memory Capacity	512 MB	512 MB
Print Speed (mm/sec)	127	127
Print Technology	Thermal Transfer	Thermal Transfer
Print Resolution (dpi)	300	300
Text Sizes (pt)	1.27 - 88.90 mm	1.27 - 88.90 mm
Max. Label Width (mm)	101	101
Max. Print Width (mm)	101	101
Materials Supported	Magnetic Polyester; Metal Detectable Polyester; Metallic, Non-metal Polyester; Metallised Polyester; Paper; Phosphorescent Polyester; Polyester; Polyester Tag; Polyimide; Polyvinylfluoride; Reflective Tape; Tamper-evident Metallised Polyester; Toughstripe floor tape ; Vinyl	Magnetic Polyester; Metal Detectable Polyester; Metallic, Non-metal Polyester; Metallised Polyester; Paper; Phosphorescent Polyester; Polyester; Polyester Tag; Polyimide; Polyvinylfluoride; Reflective Tape; Tamper-evident Metallised Polyester; Toughstripe floor tape ; Vinyl
Keyboard Type	QWERTY, QWERTZ, AZERTY, CYRILLIC	QWERTY, QWERTZ, AZERTY, CYRILLIC
Display	Colour Touchscreen	Colour Touchscreen
Cutter	Auto Cutter	XY Cutter & Auto Cutter
Power Supply	AC Adaptor	AC Adaptor
Width x Height x Length (mm)	480 x 360 x 280	480 x 360 x 280
Weight (kg)	16.50	16.50

S3000, S3100, BBP35 and BBP37 accessories

Printer Compatibility	Order Reference	Art. No.	Description
S3100	STYLUS PENS	142115	Replacement Stylus 3 Pack
S3100	B31-DC	142117	S3100 Dust Cover
S3000; S3100	B30-TROLLEY	120994	Trolley for BBP3x/S3xxx/i3300
S3000; S3100	B30-CCT	142116	Cutter Cleaning Tool for BBP30, BBP31, BBP33, S3000, S3100 & i3300 printer
S3100; BBP35; BBP37	NET-BT	142265	Bluetooth Network Card
S3100; BBP35; BBP37	NET-WIFI	142266	WiFi Network Card
S3100; BBP35; BBP37	NET-LAN	142267	LAN Network Card
S3100; BBP35; BBP37	NET-WIFI-LAN	142268	WiFi/ LAN Network Card
S3000; S3100; BBP35; BBP37	PCK-6	133251	Printer Cleaning Kit - Thermal Transfer Printers
S3000; S3100; BBP35; BBP37	B30-WIPER	142114	Media Wiper 5 Pack
S3000; S3100; BBP35; BBP37	Supplies Carrying Case	999834	Supplies Carrying Case
S3000; S3100; BBP35; BBP37	Squeegee	036612	Squeegee



Multicolour safety signs



Pipe markers




Machine safety labels



GHS/CLP labels



Safety tags



Floor marking

Consumable kits for every safety signage project



Safety sliders consumable kit

Print these blank rigid boards for use in Brady's flexible Safety Slider facility communication system. Two versions exist for this kit, one for the BBP30, BBP31, S3000, S3100, BBP35, BBP37 printers and one for the BBP85 printer.



Order Reference	Description
B30-RIGID SIGN-KIT	Rigid signs panel kit for BBP3x Printers

This kit includes one each of the following parts:

Order Reference	Description	Colour	Size - Width A (mm)	Size - Height B (mm)	Size - Length B (m)	Labels per Roll
B30-R10000	Ribbon(s)	Black	110.00	-	60.90	1
B30-R10000-BL	Ribbon(s)	Blue	110.00	-	60.90	1
B30-R10000-GN	Ribbon(s)	Green	110.00	-	60.90	1
B30-R10000-RD	Ribbon(s)	Red	110.00	-	60.90	1
B30-R10000-YL	Ribbon(s)	Yellow	110.00	-	60.90	1
B30C-4000-7569-WT	Roll(s)	White	101.00	-	30.00	1
SLIDER BOARD-PVC-296x650mm-BLANK-4x45	Sign(s)	White	296.00	650.00	-	1
SLIDER INSERT-PP-148x210mm-BLANK	Sign(s)	White	148.00	210.00	-	1
SLIDER TITLE-PP-296x150mm-BLANK	Sign(s)	White	296.00	150.00	-	1

Compatible with BBP37, BBP35, BBP30, S3000, BBP31 & S3100 printers.



CLP/GHS consumable kit

Label chemicals in compliance with the chemicals classification & labelling legislation.



Order Reference	Description
B30-CLP-KIT	Pre-printed GHS/CLP Chemical Labels kit for BBP3x Printers

This kit includes one each of the following parts:

Order Reference	Description	Size - Width A (mm)	Size - Height B (mm)	Size - Length B (m)	Labels per Roll
B30-R10000	Ribbon(s)	110.00	-	60.90	1
B30-260-7569-CLP4B	 Label(s)	55.00	85.00	-	340
B30-261-7569-CLP4B	 Label(s)	75.00	110.00	-	270
B30-262-7569-CLP4B	 Label(s)	105.00	155.00	-	200

Compatible with BBP37, BBP35, BBP30, S3000, BBP31 & S3100 printers.

Pipe marking consumable kit

Print these durable tapes on-site and in line with legislation and specific industry standards.



Order Reference	Description
B30-PM-KIT	Pipe marking kit for BBP3x Printers


This kit includes one each of the following parts:

Order Reference	Description	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll
B30-R10000	Ribbon(s)	Black	110.00	60.90	1
B30-R10000-WT	Ribbon(s)	White	110.00	60.90	1
B30C-4000-595-BL	Roll(s)	Blue	101.00	30.40	1
B30C-4000-595-BR	Roll(s)	Brown	101.00	30.40	1
B30C-4000-595-GN	Roll(s)	Green	101.00	30.40	1
B30C-4000-595-PL	Roll(s)	Purple	101.00	30.40	1
B30C-4000-595-RD	Roll(s)	Red	101.00	30.40	1
B30C-4000-595-YL	Roll(s)	Yellow	101.00	30.40	1

Compatible with BBP37, BBP35, BBP30, S3000, BBP31 & S3100 printers.

General safety consumable kit

Use these blank labels to quickly create compliant mandatory, prohibition, warning and emergency signage for your facility.



Order Ref.	Description
B30-SAFETY-KIT	General safety kit for BBP3x Printers

This kit includes one each of the following parts:

Order Reference	Description	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll
B30-R10000	Ribbon(s)	Black	110.00	60.90	1
B30-R10000-BL	Ribbon(s)	Blue	110.00	60.90	1
B30-R10000-GN	Ribbon(s)	Green	110.00	60.90	1
B30-R10000-RD	Ribbon(s)	Red	110.00	60.90	1
B30-R10000-YL	Ribbon(s)	Yellow	110.00	60.90	1
B30C-4000-595-WT	Roll(s)	White	101.00	30.40	1
B30C-4000-595-YL	Roll(s)	Yellow	101.00	30.40	1

Compatible with BBP37, BBP35, BBP30, S3000, BBP31 & S3100 printers.




B-595 high performance indoor/outdoor vinyl

For general facility and safety identification: our best industrial vinyl yet

- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to “difficult” low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics)



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon
∞	B30C-500-595-YL	Yellow	12.70	30.40	1	B30-R10000
∞	B30C-1125-595-YL	Yellow	29.00	30.40	1	B30-R10000
∞	B30C-2250-595-YL	Yellow	57.00	30.40	1	B30-R10000
∞	B30C-3000-595-YL	Yellow	75.00	30.40	1	B30-R10000
∞	B30C-4000-595-YL	Yellow	101.00	30.40	1	B30-R10000
∞	B30C-500-595-WT	White	12.70	30.40	1	B30-R10000
∞	B30C-1125-595-WT	White	29.00	30.40	1	B30-R10000
∞	B30C-2250-595-WT	White	57.00	30.40	1	B30-R10000
∞	B30C-3000-595-WT	White	75.00	30.40	1	B30-R10000
∞	B30C-4000-595-WT	White	101.00	30.40	1	B30-R10000
∞	B30C-500-595-RD	Red	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-595-RD	Red	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-595-RD	Red	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-595-RD	Red	101.00	30.40	1	B30-R10000-WT
∞	B30C-500-595-PL	Purple	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-595-PL	Purple	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-595-PL	Purple	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-595-PL	Purple	101.00	30.40	1	B30-R10000-WT
∞	B30C-500-595-OR	Orange	12.70	30.40	1	B30-R10000
∞	B30C-1125-595-OR	Orange	29.00	30.40	1	B30-R10000
∞	B30C-2250-595-OR	Orange	57.00	30.40	1	B30-R10000
∞	B30C-4000-595-OR	Orange	101.00	30.40	1	B30-R10000
∞	B30C-1125-595-OC	Ochre	29.00	30.40	1	B30-R60000C
∞	B30C-2250-595-OC	Ochre	57.00	30.40	1	B30-R60000C
∞	B30C-4000-595-OC	Ochre	101.00	30.40	1	B30-R60000C
∞	B30C-500-595-GY	Grey	12.70	30.40	1	B30-R10000
∞	B30C-1125-595-GY	Grey	29.00	30.40	1	B30-R10000
∞	B30C-2250-595-GY	Grey	57.00	30.40	1	B30-R10000
∞	B30C-4000-595-GY	Grey	101.00	30.40	1	B30-R10000
∞	B30C-500-595-GN	Green	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-595-GN	Green	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-595-GN	Green	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-595-GN	Green	101.00	30.40	1	B30-R10000-WT
∞	B30C-500-595-GD	Gold	12.70	30.40	1	B30-R10000
∞	B30C-1125-595-GD	Gold	29.00	30.40	1	B30-R10000
∞	B30C-2250-595-GD	Gold	57.00	30.40	1	B30-R10000
∞	B30C-4000-595-GD	Gold	101.00	30.40	1	B30-R10000
∞	B30C-500-595-CL	Clear	12.70	30.40	1	B30-R10000
∞	B30C-1125-595-CL	Clear	29.00	30.40	1	B30-R10000
∞	B30C-2250-595-CL	Clear	57.00	30.40	1	B30-R10000
∞	B30C-4000-595-CL	Clear	101.00	30.40	1	B30-R10000
∞	B30C-500-595-BR	Brown	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-595-BR	Brown	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-595-BR	Brown	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-595-BR	Brown	101.00	30.40	1	B30-R10000-WT
∞	B30C-500-595-BL	Blue	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-595-BL	Blue	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-595-BL	Blue	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-595-BL	Blue	101.00	30.40	1	B30-R10000-WT
∞	B30C-500-595-BK	Black	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-595-BK	Black	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-595-BK	Black	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-595-BK	Black	101.00	30.40	1	B30-R10000-WT




B-569 high performance polyester

For labelling stainless steel and smooth surfaces

- Recommended for low-halide content for labelling stainless steel pipes and surfaces
- Applies best to very smooth surfaces and ideal for mounting to rigid panels



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon
∞	B30C-500-569-YL	Yellow	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-YL	Yellow	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-YL	Yellow	57.00	30.40	1	B30-R10000
∞	B30C-4000-569-YL	Yellow	101.00	30.40	1	B30-R10000
∞	B30C-500-569-WT	White	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-WT	White	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-WT	White	57.00	30.40	1	B30-R10000
∞	B30C-3000-569-WT	White	75.00	30.40	1	B30-R10000
∞	B30C-4000-569-WT	White	101.00	30.40	1	B30-R10000
∞	B30C-500-569-TN	Tan	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-TN	Tan	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-TN	Tan	57.00	30.40	1	B30-R10000
∞	B30C-4000-569-TN	Tan	101.00	30.40	1	B30-R10000
∞	B30C-500-569-SB	Sky Blue	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-SB	Sky Blue	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-SB	Sky Blue	57.00	30.40	1	B30-R10000
∞	B30C-4000-569-SB	Sky Blue	101.00	30.40	1	B30-R10000
∞	B30C-500-569-RD	Red	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-569-RD	Red	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-569-RD	Red	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-569-RD	Red	101.00	30.40	1	B30-R10000-WT
∞	B30C-500-569-PL	Purple	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-569-PL	Purple	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-569-PL	Purple	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-569-PL	Purple	101.00	30.40	1	B30-R10000-WT
∞	B30C-500-569-PK	Pink	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-PK	Pink	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-PK	Pink	57.00	30.40	1	B30-R10000
∞	B30C-4000-569-PK	Pink	101.00	30.40	1	B30-R10000
∞	B30C-500-569-OR	Orange	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-OR	Orange	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-OR	Orange	57.00	30.40	1	B30-R10000
∞	B30C-4000-569-OR	Orange	101.00	30.40	1	B30-R10000
∞	B30C-500-569-OC	Ochre	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-OC	Ochre	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-OC	Ochre	57.00	30.40	1	B30-R10000
∞	B30C-4000-569-OC	Ochre	101.00	30.40	1	B30-R10000
∞	B30C-500-569-LB	Light Blue	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-LB	Light Blue	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-LB	Light Blue	57.00	30.40	1	B30-R10000
∞	B30C-4000-569-LB	Light Blue	101.00	30.40	1	B30-R10000
∞	B30C-500-569-GY	Grey	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-GY	Grey	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-GY	Grey	57.00	30.40	1	B30-R10000
∞	B30C-4000-569-GY	Grey	101.00	30.40	1	B30-R10000
∞	B30C-500-569-GN	Green	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-569-GN	Green	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-569-GN	Green	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-569-GN	Green	101.00	30.40	1	B30-R10000-WT
∞	B30C-500-569-CL	Clear	12.70	30.40	1	B30-R10000
∞	B30C-1125-569-CL	Clear	29.00	30.40	1	B30-R10000
∞	B30C-2250-569-CL	Clear	57.00	30.40	1	B30-R10000
∞	B30C-4000-569-CL	Clear	101.00	30.40	1	B30-R10000
∞	B30C-500-569-BR	Brown	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-569-BR	Brown	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-569-BR	Brown	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-569-BR	Brown	101.00	30.40	1	B30-R10000-WT




>>



B-569 high performance polyester (continued)

Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon
∞	B30C-500-569-BL	Blue	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-569-BL	Blue	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-569-BL	Blue	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-569-BL	Blue	101.00	30.40	1	B30-R10000-WT
∞	B30C-500-569-BK	Black	12.70	30.40	1	B30-R10000-WT
∞	B30C-1125-569-BK	Black	29.00	30.40	1	B30-R10000-WT
∞	B30C-2250-569-BK	Black	57.00	30.40	1	B30-R10000-WT
∞	B30C-4000-569-BK	Black	101.00	30.40	1	B30-R10000-WT



Premask application tape

- Use Premask Application Tape to easily apply cut out letters and shapes in a straight line.

Article No.	Description	Size - Width A (mm)	Size - Length B (m)
243242	PREMASK APPLICATION TAPE	100.00	50.00



B-595 pre-printed pre-cut blank sign headers

For creating Arc Flash and safety warning labels in seconds


- Allows the printer to create multi-colour signs fast - in a single print pass
- Indoor/Outdoor grade material conforms to rough, irregular and "difficult to adhere to" surfaces



Create Arc Flash labels and safety warning labels by using these supplies with the built-in templates of the BBP35/37 printer or with the templates in the Workstation software.



Diagram	Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Roll	Recommended Ribbon Series
⊗	B30-25-595-ANSIDA	⚠ DANGER	101.00	152.00	175	B30-R10000
⊗	B30-241-595-ANSIDA	⚠ DANGER	57.00	75.00	300	B30-R10000
⊗	B30-25-595-ANSICA	⚠ CAUTION	101.00	152.00	175	B30-R10000
⊗	B30-241-595-ANSICA	⚠ CAUTION	57.00	75.00	300	B30-R10000
⊗	B30-25-595-ANSIWA	⚠ WARNING	101.00	152.00	175	B30-R10000
⊗	B30-241-595-ANSIWA	⚠ WARNING	57.00	75.00	300	B30-R10000
⊗	B30-25-595-ANSINO	NOTICE	101.00	152.00	175	B30-R10000
⊗	B30-241-595-ANSINO	NOTICE	57.00	75.00	300	B30-R10000
⊗	B30-25-595-OSHADA	DANGER	101.00	152.00	175	B30-R10000
⊗	B30-241-595-OSHADA	DANGER	57.00	75.00	300	B30-R10000
⊗	B30-25-595-OSHACA*	CAUTION	101.00	152.00	175	B30-R10000
⊗	B30-241-595-OSHACA*	CAUTION	57.00	75.00	300	B30-R10000
▲	B30-25-595-BLNKWT		101.00	152.00	175	B30-R10000
▲	B30-241-595-BLNKWT		57.00	75.00	300	B30-R10000
▲	B30-242-595-BLNKWT		29.00	72.00	300	B30-R10000
▲	B30-219-595-BLNKWT		57.00	98.00	250	B30-R10000
▲	B30-25-595-BLNKYL		101.00	152.00	175	B30-R10000
▲	B30-241-595-BLNKYL		57.00	75.00	300	B30-R10000



*The text area below the header is yellow. Text area below other signs are white
B30-R10000 coloured ribbons can also be used on these parts


B-595 pre-printed right-to-know chemical labels

For quickly creating NFPA and Colour Bar labels

- Allows the printer to produce 5 colour chemical labels in a single print pass
- Indoor/Outdoor grade material withstands exposure to moisture, chemicals and handling



Diagram	Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Roll	Recommended Ribbon
▲	B30-263-595-NFPA		101.00	159.00	170	B30-R10000
▲	B30-161-595-NFPA		101.00	101.00	240	B30-R10000
▲	B30-263-595-CB		101.00	159.00	170	B30-R10000
▲	B30-244-595-CB		57.00	57.00	365	B30-R10000
▲	B30-244-595-NFPA		57.00	57.00	365	B30-R10000
▲	B30-244-595-DIAM		57.00	57.00	365	B30-R10000
▲	B30-245-595-CB		57.00	108.00	240	B30-R10000
▲	B30-245-595-NFPA		57.00	108.00	240	B30-R10000
▲	B30-244-595-HMIG		57.00	57.00	365	B30-R10000
▲	B30-246-595-HMIG		29.00	82.50	300	B30-R10000
▲	B30-246-595-NFR		29.00	82.50	300	B30-R10000




B-551 non-adhesive pre-printed and pre-cut safety tags

Pre-printed and pre-cut to save you time

- Non-adhesive semi-rigid polyester card stock
- Tags are pre-cut with hole and chamfered corners
- Perforated between tags
- Snap-in plastic grommets available for extra strength around mounting hole. Order reference: 020596



Diagram	Order Reference		Size - Width A (mm)	Size - Height B (mm)	Labels per Roll	Recommended Ribbon
⊗	B30-255-551-ANSIDA		82.55	146.05	100	B30-R10000
⊗	B30-255-551-OSHADA		82.55	146.05	100	B30-R10000
⊗	B30-255-551-ANSICA		82.55	146.05	100	B30-R10000






B-7569 pre-printed GHS/CLP chemical labels

Print 2 colour GHS labels in one fast print pass

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour GHS/CLP labels in one print pass
- 4 sizes of labels that match templates in the Brady Workstation CLP (GHS) app. Find out more at workstation.bradyd.com!
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling



Diagram	Order Reference		Width A (mm)	Height B (mm)	Labels per Roll	Recommended Ribbon
	B30-260-7569-CLP1		55.00	85.00	340	B30-R10000
	B30-260-7569-CLP2		55.00	85.00	340	B30-R10000
	B30-260-7569-CLP3A		55.00	85.00	340	B30-R10000
	B30-260-7569-CLP3B		55.00	85.00	340	B30-R10000
	B30-260-7569-CLP4A		55.00	85.00	340	B30-R10000
	B30-260-7569-CLP4B		55.00	85.00	340	B30-R10000
	B30-261-7569-CLP1		75.00	110.00	270	B30-R10000
	B30-261-7569-CLP2		75.00	110.00	270	B30-R10000
	B30-261-7569-CLP3A		75.00	110.00	270	B30-R10000
	B30-261-7569-CLP3B		75.00	110.00	270	B30-R10000
	B30-261-7569-CLP4A		75.00	110.00	270	B30-R10000
	B30-261-7569-CLP4B		75.00	110.00	270	B30-R10000
	B30-262-7569-CLP1		105.00	155.00	200	B30-R10000
	B30-262-7569-CLP2		105.00	155.00	200	B30-R10000
	B30-262-7569-CLP3A		105.00	155.00	200	B30-R10000
	B30-262-7569-CLP3B		105.00	155.00	200	B30-R10000
	B30-262-7569-CLP4A		105.00	155.00	200	B30-R10000
	B30-262-7569-CLP4B		105.00	155.00	200	B30-R10000
	B30-18-7569-CLP4C		76.20	25.40	1000	B30-R10000



Brady Workstation CLP (GHS) labels app

Easily design and print GHS/CLP labels using the predefined chemical descriptions, symbols and signal words in the Brady Workstation GHS/CLP label app.

The Brady Workstation GHS/CLP label app enables users to select chemicals by name or CAS-number. The app then automatically populates all required fields to create a compliant GHS/CLP label.



Discover Brady Workstation
www.bradyeurope.com/workstation

B-483/B-634 ToughStripe floor marking tape with overlamine

Ideal for marking aisles, passageways and storage locations

- Create custom-printed floor labels, with easy 3-step process: print label, position on floor, apply overlamine
- Each kit includes 1 roll of B-483 tape and 1 roll of B-634 overlamine



These materials are only suitable for use with the Brady BBP37 & BBP35 printers.





Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon
∞	B30C-1125-483BK-KT	Black	29.00	30.40	1	B30-R4400
∞	B30C-2250-483BK-KT	Black	57.00	30.40	1	B30-R4400
∞	B30C-4000-483BK-KT	Black	101.00	30.40	1	B30-R4400
∞	B30C-1125-483BL-KT	Blue	29.00	30.40	1	B30-R4400
∞	B30C-2250-483BL-KT	Blue	57.00	30.40	1	B30-R4400
∞	B30C-4000-483BL-KT	Blue	101.00	30.40	1	B30-R4400
∞	B30C-1125-483GN-KT	Green	29.00	30.40	1	B30-R4400
∞	B30C-2250-483GN-KT	Green	57.00	30.40	1	B30-R4400
∞	B30C-4000-483GN-KT	Green	101.00	30.40	1	B30-R4400
∞	B30C-1125-483OR-KT	Orange	29.00	30.40	1	B30-R6000HF
∞	B30C-2250-483OR-KT	Orange	57.00	30.40	1	B30-R6000HF
∞	B30C-4000-483OR-KT	Orange	101.00	30.40	1	B30-R6000HF
∞	B30C-1125-483RD-KT	Red	29.00	30.40	1	B30-R4400
∞	B30C-2250-483RD-KT	Red	57.00	30.40	1	B30-R4400
∞	B30C-4000-483RD-KT	Red	101.00	30.40	1	B30-R4400
∞	B30C-1125-483WT-KT	White	29.00	30.40	1	B30-R6000HF
∞	B30C-2250-483WT-KT	White	57.00	30.40	1	B30-R6000HF
∞	B30C-3000-483WT-KT	White	75.00	30.40	1	B30-R6000HF
∞	B30C-4000-483WT-KT	White	101.00	30.40	1	B30-R6000HF
∞	B30C-1125-483YL-KT	Yellow	29.00	30.40	1	B30-R6000HF
∞	B30C-2250-483YL-KT	Yellow	57.00	30.40	1	B30-R6000HF
∞	B30C-3000-483YL-KT	Yellow	75.00	30.40	1	B30-R6000HF
∞	B30C-4000-483YL-KT	Yellow	101.00	30.40	1	B30-R6000HF



ToughStripe floor tape adhesion rates

Floor types

Silica grit
Aluminium oxide grit
Garnet grit
Particle epoxy
Large diamond metal

Small diamond metal
Hexagonal metal
Smooth epoxy

Ceramic tile
Linoleum tile
Flecked urethane
Solid urethane
Concrete



Low adhesion

Moderate adhesion

Strong adhesion






B-854 and B-855 ToughWash washdown resistant labels

Withstands pressures of high heat, harsh chemicals and numerous washdown cycles

- Ideal for use in the Food & Beverage industry
- Legible and long-lasting for even the toughest washdown cycles
- B-854 offers metal detectable layer to detect foreign debris in food stream



Diagram	Order Reference		Size - Width A (mm)	Size - Height B (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon
∞	B30C-1125-855-YL		28.58	-	15.24	1	B30-R6000HF
∞	B30C-1125-855-WT		28.58	-	15.24	1	B30-R6000HF
∞	B30C-2250-855-YL		57.15	-	15.24	1	B30-R6000HF
∞	B30C-2250-855-WT		57.15	-	15.24	1	B30-R6000HF
⊗	B30-25-855-WARN		101.60	152.40	-	100	B30-R6000HF
⊗	B30-25-855-DANG		101.60	152.40	-	100	B30-R6000HF
⊗	B30-25-855-CAUT		101.60	152.40	-	100	B30-R6000HF
⊗	B30-25-854-WARN		101.60	152.40	-	100	B30-R6000HF
⊗	B30-25-854-DANG		101.60	152.40	-	100	B30-R6000HF
⊗	B30-25-854-CAUT		101.60	152.40	-	100	B30-R6000HF
∞	B30C-4000-855-YL		101.60	-	15.24	1	B30-R6000HF
∞	B30C-4000-855-WT		101.60	-	15.24	1	B30-R6000HF
∞	B30C-4000-854-YL		101.60	-	15.24	1	B30-R6000HF
∞	B30C-4000-854-WT		101.60	-	15.24	1	B30-R6000HF




B-584 retro reflective tape

For highly reflective identification that shines back brightly when struck by light

- Ideal for labelling outdoor utility poles and pedestals, jobsite equipment and roof-top equipment
- Recommended low light or inclement weather conditions



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon
∞	B30C-1125-584-OR	Reflective Orange	28.58	15.20	1	B30-R10000
∞	B30C-2250-584-OR	Reflective Orange	57.15	15.20	1	B30-R10000
∞	B30C-4000-584-OR	Reflective Orange	101.60	15.20	1	B30-R10000
∞	B30C-1125-584-SL	Silver	28.58	15.20	1	B30-R10000
∞	B30C-2250-584-SL	Silver	57.15	15.20	1	B30-R10000
∞	B30C-4000-584-SL	Silver	101.60	15.20	1	B30-R10000
∞	B30C-1125-584-YL	Yellow	28.58	15.20	1	B30-R10000
∞	B30C-2250-584-YL	Yellow	57.15	15.20	1	B30-R10000
∞	B30C-4000-584-YL	Yellow	101.60	15.20	1	B30-R10000




Continuous tapes for general identification

Allows for efficient material use

- Materials have high-tack adhesives for use onto a wide variety of surfaces and components
- Good for cutting out custom-sized labels



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon Series
	B30C-4000-787	White	101.00	18.29	1	1	B30-R6000
	B30C-4000-486	Silver	101.00	35.10	1	1	B30-R-4300
	B30C-4000-432	Clear	101.00	36.60	1	1	B30-R-6000
	B30C-4000-724	Amber	101.00	39.60	1	1	B30-R-4300
	B30C-4000-434	Silver	101.00	39.60	1	1	B30-R-6000
	B30C-4000-428	Silver	101.00	39.60	1	1	B30-R-4300
	B30C-4000-483	White	101.00	39.60	1	1	B30-R6000
	B30C-4000-489	White	101.00	39.60	1	1	B30-R-4300
	B30C-4000-488	White	101.00	39.60	1	1	B30-R-4300
	B30C-4000-727	White	101.00	39.60	1	1	B30-R-6000
	B30C-4000-423	White	101.00	45.70	1	1	B30-R-6000
	B30C-4000-437	White	101.00	45.70	1	1	B30-R-4300
	B30C-4000-484	White	101.00	45.70	1	1	B30-R-6000
	B30C-4000-424	White	101.00	45.70	1	1	B30-R-4300




B-526 BradyGlo high-intensity photoluminescent tape

For glow-in-the dark identification - up to 10 hours

- Designed for directional and evacuation marking
- Ideal for marking emergency utility shut-offs, fire extinguishers, alarm pulls and vital equipment controls




Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon Series
	B30C-1125-526	Luminous Green	29.00	15.20	1	B30-R10000
	B30C-2250-526	Luminous Green	57.00	15.20	1	B30-R10000
	B30C-4000-526	Luminous Green	101.00	15.20	1	B30-R10000



B-565 high temp metallised polyester tape

- B-565 material has a high upper temperature rating and is not tamper-evident
- Ideal for product rating labels, product warranty labels and asset identification labels

Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon Series
	B30C-1125-565-SL	Silver	29.00	30.40	1	B30-R10000
	B30C-2250-565-SL	Silver	57.00	30.40	1	B30-R10000
	B30C-4000-565-SL	Silver	101.00	30.40	1	B30-R10000




B-595 and B-7569 pre-cut blank labels

For general purpose, peel-off-and-apply identification

- Ideal for a wide range of labelling applications
- Includes two sizes that are pre-cut and pre-sized to fit heavy-duty rigid tags
- Indoor/Outdoor grade material



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Labels per Roll	Recommended Ribbon Series
	B30-241-7569-YL	Yellow	57.00	75.00	300	B30-R10000
	B30-241-595-BLNKYL	Yellow	57.00	75.00	300	B30-R10000
	B30-25-7569-YL	Yellow	101.00	152.00	175	B30-R10000
	B30-25-595-BLNKYL	Yellow	101.00	152.00	175	B30-R10000
	B30-242-7569-WT	White	29.00	72.00	300	B30-R10000
	B30-242-595-BLNKWT	White	29.00	72.00	300	B30-R10000
	B30-241-7569-WT	White	57.00	75.00	300	B30-R10000
	B30-219-7569-WT	White	57.00	98.00	250	B30-R10000
	B30-241-595-BLNKWT	White	57.00	75.00	300	B30-R10000
	B30-219-595-BLNKWT	White	57.00	98.00	250	B30-R10000
	B30-25-7569-WT	White	101.00	152.00	175	B30-R10000
	B30-25-595-BLNKWT	White	101.00	152.00	175	B30-R10000



S3000, S3100, BBP35, BBP37 labels and tapes




B-551 non-adhesive tag stock

For safety, lockout and general purpose hanging tags

- Non-adhesive, polyester stock
- Hole punch available separately. Order reference: 020591
- Optional snap-in grommets available. Order Reference: 020596



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Size - Height B (mm)	Labels per Roll	Recommended Ribbon Series
	B30C-2500-551-WT	White	64.00	15.24	-	1	B30-R10000
	B30-255-551-WT	White	82.55	-	146.05	100	B30-R10000
	B30C-3250-551-WT	White	83.00	15.24	-	1	B30-R10000
	B30C-4250-551-WT	White	108.00	15.24	-	1	B30-R10000



Coloured nylon ties

Coloured nylon ties provide you with an option of colour coded application.

Article No.	Colour	Width (mm)	Length (mm)	Packaging
196352	Yellow	3.50	200.00	100
196346	Yellow	3.60	140.00	100
196343	Red	3.60	140.00	100
196351	Red	3.60	200.00	100
196310	Natural	3.60	140.00	100
196311	Natural	3.60	200.00	100
196340	Green	3.60	140.00	100
196350	Green	3.60	200.00	100
196337	Blue	3.60	140.00	100
196349	Blue	3.60	200.00	100
196283	Black	3.60	200.00	100




B-509 printable magnetic supply

Easiest and quickest material for removing and repositioning

- Non-adhesive magnetic material that can be printed on directly
- Ideal for reusable and repositionable identification applications



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon
	B30C-2500-509-YL	Yellow	64.00	7.60	1	B30-R10000
	B30C-4250-509-YL	Yellow	108.00	7.60	1	B30-R10000
	B30C-2500-509-WT	White	64.00	7.60	1	B30-R10000
	B30C-4250-509-WT	White	108.00	7.60	1	B30-R10000




B-549 cold temperature application material

For identification in temperatures as cold as -40°C

- Special adhesive permanently adheres to extremely cold surfaces
- Ideal for cold storage warehouses, fridges, freezers and short-term outdoor use in winter



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon Series
	B30C-1125-549-YL	Yellow	29.00	30.40	1	B30-R10000
	B30C-2250-549-YL	Yellow	57.00	30.40	1	B30-R10000
	B30C-4000-549-YL	Yellow	101.00	30.40	1	B30-R10000
	B30C-1125-549-WT	White	29.00	30.40	1	B30-R10000
	B30C-2250-549-WT	White	57.00	30.40	1	B30-R10000
	B30C-4000-549-WT	White	101.00	30.40	1	B30-R10000




B-7569 indoor/outdoor vinyl

General purpose industrial vinyl for indoor/outdoor usage

- High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl





Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon
∞	B30C-500-7569-YL	Yellow	12.70	30.00	1	B30-R10000
∞	B30C-1125-7569-YL	Yellow	29.00	30.00	1	B30-R10000
∞	B30C-2250-7569-YL	Yellow	57.00	30.00	1	B30-R10000
∞	B30C-3000-7569-YL	Yellow	75.00	30.00	1	B30-R10000
∞	B30C-4000-7569-YL	Yellow	101.00	30.00	1	B30-R10000
∞	B30C-500-7569-WT	White	12.70	30.00	1	B30-R10000
∞	B30C-1125-7569-WT	White	29.00	30.00	1	B30-R10000
∞	B30C-2250-7569-WT	White	57.00	30.00	1	B30-R10000
∞	B30C-3000-7569-WT	White	75.00	30.00	1	B30-R10000
∞	B30C-4000-7569-WT	White	101.00	30.00	1	B30-R10000
∞	B30C-500-7569-RD	Red	12.70	30.00	1	B30-R10000-WT
∞	B30C-1125-7569-RD	Red	29.00	30.00	1	B30-R10000-WT
∞	B30C-2250-7569-RD	Red	57.00	30.00	1	B30-R10000-WT
∞	B30C-4000-7569-RD	Red	101.00	30.00	1	B30-R10000-WT
∞	B30C-500-7569-OR	Orange	12.70	30.00	1	B30-R10000
∞	B30C-1125-7569-OR	Orange	29.00	30.00	1	B30-R10000
∞	B30C-2250-7569-OR	Orange	57.00	30.00	1	B30-R10000
∞	B30C-4000-7569-OR	Orange	101.00	30.00	1	B30-R10000
∞	B30C-500-7569-GN	Green	12.70	30.00	1	B30-R10000-WT
∞	B30C-1125-7569-GN	Green	29.00	30.00	1	B30-R10000-WT
∞	B30C-2250-7569-GN	Green	57.00	30.00	1	B30-R10000-WT
∞	B30C-4000-7569-GN	Green	101.00	30.00	1	B30-R10000-WT
∞	B30C-500-7569-BL	Blue	12.70	30.00	1	B30-R10000-WT
∞	B30C-1125-7569-BL	Blue	29.00	30.00	1	B30-R10000-WT
∞	B30C-2250-7569-BL	Blue	57.00	30.00	1	B30-R10000-WT
∞	B30C-4000-7569-BL	Blue	101.00	30.00	1	B30-R10000-WT
∞	B30C-500-7569-BK	Black	12.70	30.00	1	B30-R10000-WT
∞	B30C-1125-7569-BK	Black	29.00	30.00	1	B30-R10000-WT
∞	B30C-2250-7569-BK	Black	57.00	30.00	1	B30-R10000-WT
∞	B30C-4000-7569-BK	Black	101.00	30.00	1	B30-R10000-WT



Transfer tape is the best way to apply cut-out shapes and text!

1. Cut out your shape or text and weed away unneeded material
2. Apply transfer tape over your cut-out objects and press firmly
3. Peel back the transfer tape and expose the adhesive side of your pre-spaced objects
4. Position object in place and press firmly onto final surface
5. Peel back transfer tape at sharp angle to surface
6. Works great for cut-out text on rigid sign panels too.






B-581 repositionable vinyl

For 5S and lean applications

- Aggressive adhesive stays in place but removes cleanly without leaving adhesive residue
- Ideal for temporary, removable and repositionable labels, like 5S and lean inventory labels



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Length B (m)	Labels per Roll	Recommended Ribbon
∞	B30C-500-581-YL	Yellow	12.50	30.40	1	B30-R10000
∞	B30C-1125-581-YL	Yellow	29.00	30.40	1	B30-R10000
∞	B30C-2250-581-YL	Yellow	57.00	30.40	1	B30-R10000
∞	B30C-4000-581-YL	Yellow	101.00	30.40	1	B30-R10000
∞	B30C-500-581-WT	White	12.50	30.40	1	B30-R10000
∞	B30C-1125-581-WT	White	29.00	30.40	1	B30-R10000
∞	B30C-2250-581-WT	White	57.00	30.40	1	B30-R10000
∞	B30C-4000-581-WT	White	101.00	30.40	1	B30-R10000




B-593 raised profile labels - push button style

Lower cost than engraved legend plates

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (total thickness = 0.65 mm)
- High performance, low cost substitute to engraved plates
- 10 year outdoor durability rating
- On-demand labelling: labels print out in less than 4 seconds
- 5 push button sizes (including keyed with 22.50 and 30.50 mm hole diam and non-keyed with 22.50 mm hole diam)



Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Hole Diameter C (mm)	Vertical Repeat D (mm)	Labels per Roll	Recommended Ribbon
☐	B30EP-167-593-YL	Yellow	38.10	30.48	22.50	44.50	200	B30-R6000HF
▶	B30EP-167U-593-YL	Yellow	38.10	30.48	22.50	44.50	200	B30-R6000HF
☐	B30EP-169-593-YL	Yellow	45.72	45.72	30.50	50.80	190	B30-R6000HF
☐	B30EP-168-593-YL	Yellow	48.26	30.48	22.50	54.00	180	B30-R6000HF
☐	B30EP-170-593-YL	Yellow	60.96	60.96	30.50	66.70	145	B30-R6000HF
☐	B30EP-167-593-WT	White	38.10	30.48	22.50	44.50	200	B30-R6000HF
▶	B30EP-167U-593-WT	White	38.10	30.48	22.50	44.50	200	B30-R6000HF
☐	B30EP-169-593-WT	White	45.72	45.72	30.50	50.80	190	B30-R6000HF
☐	B30EP-168-593-WT	White	48.26	30.48	22.50	54.00	180	B30-R6000HF
☐	B30EP-170-593-WT	White	60.96	60.96	30.50	66.70	145	B30-R6000HF
☐	B30EP-167-593-RD	Red	38.10	30.48	22.50	44.50	200	B30-R4400-WT
▶	B30EP-167U-593-RD	Red	38.10	30.48	22.50	44.50	200	B30-R4400-WT
☐	B30EP-169-593-RD	Red	45.72	45.72	30.50	50.80	190	B30-R4400-WT
☐	B30EP-168-593-RD	Red	48.26	30.48	22.50	54.00	180	B30-R4400-WT
☐	B30EP-170-593-RD	Red	60.96	60.96	30.50	66.70	145	B30-R4400-WT
☐	B30EP-167-593-GN	Green	38.10	30.48	22.50	44.50	200	B30-R4400-WT
▶	B30EP-167U-593-GN	Green	38.10	30.48	22.50	44.50	200	B30-R4400-WT
☐	B30EP-169-593-GN	Green	45.72	45.72	30.50	50.80	190	B30-R4400-WT
☐	B30EP-168-593-GN	Green	48.26	30.48	22.50	54.00	180	B30-R4400-WT
☐	B30EP-170-593-GN	Green	60.96	60.96	30.50	66.70	145	B30-R4400-WT
☐	B30EP-167-593-BK	Black	38.10	30.48	22.50	44.50	200	B30-R4400-WT
▶	B30EP-167U-593-BK	Black	38.10	30.48	22.50	44.50	200	B30-R4400-WT
☐	B30EP-169-593-BK	Black	45.72	45.72	30.50	50.80	190	B30-R4400-WT
☐	B30EP-168-593-BK	Black	48.26	30.48	22.50	54.00	180	B30-R4400-WT
☐	B30EP-170-593-BK	Black	60.96	60.96	30.50	66.70	145	B30-R4400-WT



B-593 raised profile labels

Lower cost than engraved legend plates

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.65mm)
- Ideal for inside-panel backer board labels and front-of-enclosure labelling
- On-demand labelling: labels print out in less than 4 seconds
- No need to abbreviate your text to avoid per character engraving charges
- 10-year outdoor durability rating
- 6 colours, 7 rectangular sizes





Diagram	Order Reference	Colour	Size - Width A (mm)	Size - Height B (mm)	Vertical Repeat D (mm)	Labels per Roll	Recommended Ribbon
▲	B30EP-171-593-YL	Yellow	26.92	12.70	19.10	500	B30-R6000HF
▲	B30EP-172-593-YL	Yellow	44.99	14.99	21.60	450	B30-R6000HF
▲	B30EP-173-593-YL	Yellow	50.80	25.40	31.80	300	B30-R6000HF
▲	B30EP-175-593-YL	Yellow	76.20	19.05	25.40	375	B30-R6000HF
▲	B30EP-176-593-YL	Yellow	76.20	25.40	31.80	300	B30-R6000HF
▲	B30EP-177-593-YL	Yellow	76.20	63.50	69.90	125	B30-R6000HF
▲	B30EP-174-593-YL	Yellow	101.60	25.40	31.80	300	B30-R6000HF
▲	B30EP-171-593-WT	White	26.92	12.70	19.10	500	B30-R6000HF
▲	B30EP-172-593-WT	White	44.99	14.99	21.60	450	B30-R6000HF
▲	B30EP-173-593-WT	White	50.80	25.40	31.80	300	B30-R6000HF
▲	B30EP-175-593-WT	White	76.20	19.05	25.40	375	B30-R6000HF
▲	B30EP-176-593-WT	White	76.20	25.40	31.80	300	B30-R6000HF
▲	B30EP-177-593-WT	White	76.20	63.50	69.90	125	B30-R6000HF
▲	B30EP-174-593-WT	White	101.60	25.40	31.80	300	B30-R6000HF
▲	B30EP-171-593-SL	Silver	26.92	12.70	19.10	500	B30-R6000HF
▲	B30EP-172-593-SL	Silver	44.99	14.99	21.60	450	B30-R6000HF
▲	B30EP-173-593-SL	Silver	50.80	25.40	31.80	300	B30-R6000HF
▲	B30EP-174-593-SL	Silver	101.60	25.40	31.80	300	B30-R6000HF
▲	B30EP-171-593-RD	Red	26.92	12.70	19.10	500	B30-R4400-WT
▲	B30EP-172-593-RD	Red	44.99	14.99	21.60	450	B30-R4400-WT
▲	B30EP-173-593-RD	Red	50.80	25.40	31.80	300	B30-R4400-WT
▲	B30EP-174-593-RD	Red	101.60	25.40	31.80	300	B30-R4400-WT
▲	B30EP-171-593-GN	Green	26.92	12.70	19.10	500	B30-R4400-WT
▲	B30EP-172-593-GN	Green	44.99	14.99	21.60	450	B30-R4400-WT
▲	B30EP-173-593-GN	Green	50.80	25.40	31.80	300	B30-R4400-WT
▲	B30EP-175-593-GN	Green	76.20	19.05	25.40	375	B30-R4400-WT
▲	B30EP-176-593-GN	Green	76.20	25.40	31.80	300	B30-R4400-WT
▲	B30EP-177-593-GN	Green	76.20	63.50	69.90	125	B30-R4400-WT
▲	B30EP-174-593-GN	Green	101.60	25.40	31.80	300	B30-R4400-WT
▲	B30EP-171-593-BK	Black	26.92	12.70	19.10	500	B30-R4400-WT
▲	B30EP-172-593-BK	Black	44.99	14.99	21.60	450	B30-R4400-WT
▲	B30EP-173-593-BK	Black	50.80	25.40	31.80	300	B30-R4400-WT
▲	B30EP-175-593-BK	Black	76.20	19.05	25.40	375	B30-R4400-WT
▲	B30EP-176-593-BK	Black	76.20	25.40	31.80	300	B30-R4400-WT
▲	B30EP-177-593-BK	Black	76.20	63.50	69.90	125	B30-R4400-WT
▲	B30EP-174-593-BK	Black	101.60	25.40	31.80	300	B30-R4400-WT

B30 ribbons and materials overview



Print ribbons

“Drop & Click” Print Ribbons for Quick and Easy Supply Changes

- Tough, smear-proof ribbons that produce long-lasting printed text
- Print can withstand years in industrial areas and outdoor conditions
- Ribbons supplied in self-contained cartridges that drop straight into the printer with a “click”
- No calibrating, no threading, no waste, no hassle and the ink will always be facing the right direction
- Printer notifies user if installed ribbon is not recommended for the installed labels



All multi-colour panelled and process colour ribbons are compatible with BBP35 & BBP37 only.

Order Reference	Colour	Width (mm) x Length (m)
B30-R10000-BL	Blue	110 mm x 60.90 m
B30-R10000-GN	Green	110 mm x 60.90 m
B30-R10000-MA	Magenta	110 mm x 60.90 m
B30-R10000-OR	Orange	110 mm x 60.90 m
B30-R10000-RD	Red	110 mm x 60.90 m
B30-R10000-YL**	Yellow	110 mm x 60.90 m
B30-R10000-YL2**	Yellow	110 mm x 60.90 m
B30-R10000	Black	110 mm x 60.90 m
B30-R60000C***	Black	110 mm x 60.90 m
B30-R6000HF	Black	110 mm x 60.90 m
B30-R4300	Black	110 mm x 60.90 m
B30-R6600	Black	110 mm x 60.90 m
B30-R6200	Black	110 mm x 60.90 m
B30-R10000-WT	White	110 mm x 60.90 m
B30-R4400-WT	White	110 mm x 60.90 m
B30-R6700-WT	White	110 mm x 60.90 m
B30-R10000-PRCYEL	Process Yellow	110 mm x 60.90 m
B30-R10000-PRCMAG	Process Magenta	110 mm x 60.90 m
B30-R10000-PRCCY	Process Cyan	110 mm x 60.90 m
B30-R10000-KG-16*	Black & Green	110 mm x 60.90 m
B30-R10000-KG-8*	Black & Green	110 mm x 60.90 m

Order Reference	Colour	Width (mm) x Length (m)
B30-R10000-KO-8*	Black & Orange	110 mm x 60.90 m
B30-R10000-KB-8*	Black & Blue	110 mm x 60.90 m
B30-R10000-KY-8*	Black & Yellow	110 mm x 60.90 m
B30-R10000-KR-8*	Black & Red	110 mm x 60.90 m
B30-R10000-KB-16*	Black & Blue	110 mm x 60.90 m
B30-R10000-KY-16*	Black & Yellow	110 mm x 60.90 m
B30-R10000-KO-16*	Black & Orange	110 mm x 60.90 m
B30-R10000-KR-16*	Black & Red	110 mm x 60.90 m
B30-R10000-RB-16*	Red & Blue	110 mm x 60.90 m
B30-R10000-GR-8*	Green & Red	110 mm x 60.90 m
B30-R10000-KRGB-16*	Black, Red, Blue, Green	110 mm x 60.90 m
B30-R10000-KRYB-16*	Black, Red, Blue, Yellow	110 mm x 60.90 m
B30-R10000-KRYG-8*	Black, Red, Green & Yellow	110 mm x 60.90 m
B30-R10000-KRGB-8*	Black, Red, Blue, Green	110 mm x 60.90 m
B30-R10000-KRBO-8*	Black, Red, Orange, Blue	110 mm x 60.90 m
B30-R10000-KRYB-8*	Black, Red, Blue, Yellow	110 mm x 60.90 m
B30-R10000-CMYK-16*	Cyan, Magenta, Yellow, Black	110 mm x 60.90 m
B30-R10000-CMYK-8*	Cyan, Magenta, Yellow, Black	110 mm x 60.90 m

* '-8' have 200mm colour panels; those ending in '-16' have 400mm colour panels.

** For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2.

***Black Heavy-Duty Print Ribbon to print Ochre B-595 on BBP3x Printers

S3000, S3100, BBP35 & BBP37 print ribbon/material compatibility

B Number	B30-R10000 Black	B30-R10000-WT White	B30-R10000 Colours	B30-R10000-YL2** Yellow	B30-R4400-WT White	B30-R60000C Black	B30-R6000HF Black
B-483/B-634					✓		✓
B-509	✓		✓				✓
B-526	✓		✓				✓
B-549	✓	✓	✓				✓
B-551	✓		✓				✓
B-569	✓	✓	✓				✓
B-581	✓	✓	✓				✓
B-584	✓		✓				✓
B-593					✓		✓
B-595	✓	✓	✓	✓		✓	✓
B-854							✓
B-855							✓
B-7569	✓	✓	✓				✓

** For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2

BBP35/BBP37 at a glance



Watch the how to videos on our Brady YouTube channel.

