



BradyPrinter i3300

INDUSTRIAL LABEL PRINTER

Print any label or sign with the versatile BradyPrinter i3300 Industrial label printer

The BradyPrinter i3300 Industrial label printer is a completely hassle free, easy to use PC-based printer. It can print a full range of safety and facility labels and signs as well as die cut labels for wire identification, product identification and laboratory identification.

Print a huge range of labels & signs

With the BradyPrinter i3300, you can print a huge range of reliable labels and signs at your location in monocolour. More than 50 different Brady label materials are compatible with the BradyPrinter i3300. Labels & signs that can be printed with the BradyPrinter i3300 include:

- wire & cable identification labels
- product and laboratory identification labels
- safety and facility signs

These can be used both in- and outdoor, and include specialty solutions like ToughWash labels and ToughStripe floor marking.

[Scan or click the QR code](#)



Designed to last

The BradyPrinter i3300 prints on Brady's industrial grade labels that have been designed to last in challenging conditions. All Brady labels have been tested in line with international ASTM test methods and a technical data sheet is available for every material.

Extremely easy to use


The BradyPrinter i3300 is extremely easy to use and features auto-calibration and automatic label material setup. This will enable you to immediately start printing the signs and labels you need. Switching to another label material is easy and extremely fast thanks to the printer's 'drop-in' label materials and matching ink ribbons that can be switched out in less than 20 seconds. When used with Brady Workstation apps, a wide variety of sign & label design options becomes available.




Brady materials made to impress.




Industrial labelling



Terminal block markers



Circuit board labelling



Product identification



Control panel labelling



Wire & cable labels and more!

Printer specifications

PRINTER	
Description	BradyPrinter i3300 Industrial Label Printer
Colour Capability	Monocolour
Print Speed (mm/sec)	101.60
Print Resolution (dpi)	300
Internal Memory	512 MB (RAM) - 195 MB (data storage)
Size W x H x D (mm)	240 x 317 x 435
Stand-alone Printing (Detached from PC)	Peripheral
Weight (kg)	5.30 kg
Warranty	1 year
MEDIA	
Continuous vs Die-cut Labels	Continuous Tape & Die Cut Labels
Label/Media Format	Media & Ribbon, supplied separately
Compatible Media	B30-, B30C-, B30EP-, B33-, B33C-, B33D-, B33FP-, B33FT-, B33R-
Min. Label Width (mm)	6.35
Max. Label Width (mm)	107.95
Min. Liner Width (mm)	18
Min. Label Height (mm)	6.35
Max. Liner Width (mm)	107.95
Max. Print Width (mm)	101.60
Recommended Usage per Day	For Wire ID and small OEM labels: 1000 labels per day For Safety labels: 600 50.80mm by 101.60mm labels per day, 300 larger labels per day Operational Hours: 8 hours / 5 days * throughput indication not a guarantee of performance, depends on specific label size, text printed and other factors
DISPLAY	
Display	Colour LCD Touchscreen
Display Resolution	272 x 480 px
On Screen Indicators	Supply Remaining, Ribbon Remaining, Ribbon and label part number recognition, WiFi, Ethernet Status, Error Messaging, Data Reception
SOFTWARE & CONNECTIVITY	
Connectivity Options	USB, Ethernet. Optional: WiFi (factory installed)
Software Compatibility	Brady Workstation, Windows based driver for 3rd party software use
COMPLIANCE	
Approval/Compliance	UL, cUL, CE, RoHS, RCM, KCC, EAC

Printer part numbers

Article No.	Order Reference	Description
241124	i3300-300-C-EU-PWID	i3300 Industrial Label Printer- EU with Brady Workstation PWID Suite
241125	i3300-300-C-EU-W-PWID	i3300 Industrial Label Printer with Wifi- EU with Brady Workstation PWID Suite
241126	i3300-300-C-UK-PWID	i3300 Industrial Label Printer- UK with Brady Workstation PWID Suite
241127	i3300-300-C-UK-W-PWID	i3300 Industrial Label Printer with Wifi- UK with Brady Workstation PWID Suite

This i3300 printer comes in a cardboard box. It ships with a power cord, a Brady Workstation Suite, a USB cable, a product CD holding the manual, a cleaning kit and a printed quick start guide.



The Basic Suite is included with every printer, all you need to do is download it.
Workstation.BradyID.com/Free



Quickly identify your products and wires with customised text or graphical labels, using serialised or imported data.
Workstation.BradyID.com/ProductandWire

i3300 Printer accessories

Article No.	Order Reference	Description
036612	Squeegee	Squeegee
120994	B30-TROLLEY	Trolley for BBP3x/S3xxx/i3300
133251	PCK-6	Printer Cleaning Kit - Thermal Transfer Printers
142114	B30-WIPER	Media Wiper 5 Pack for BBP30/S3000/BBP31/S3100/BBP33/i3300 Printers
142115	STYLUS PENS	Replacement Stylus 3 Pack
142116	B30-CCT	Cutter Cleaning Tool for BBP30, BBP31, BBP33, S3000, S3100 & i3300 printer
999834	Supplies Carrying Case	Supplies Carrying Case

Specialty material recommendations


Specialty Material Recommendations	
Raised Panel labels (B-593, B-7593)	standard parts in B-593, custom parts in B-7593
PermaSleeves (B-342, B-345)	Recommended (With 2-pass reinsert of media for double-sided format)
HX PermaSleeves Markers (B-7642)	Recommended (With 2-pass reinsert of media for double-sided format)
Self-laminating Labels (B-427)	Recommended

Complete your BBP33 label printing solution

Brady Workstation

Brady Workstation offers professional, intuitive apps to design quality product and cable labels and safety signs. With Brady Workstation label design becomes easier, faster and quickly adaptable to new label norms thanks to centralised updates.


For more information about Brady Workstation, please see page 16.






High performance indoor/outdoor vinyl

For general facility and safety identification: our best industrial vinyl yet



- Durable, low-shrink vinyl with our most aggressive adhesive
- Conforms to irregular, curved, rough and highly textured surfaces (painted cinder blocks, uneven wood, textured plastics, paper-jacketed pipes, powder-coated surfaces)
- Adheres to “difficult” low-surface energy items (PVC piping, blow-moulded equipment cases, ABS plastics, recycled plastics)

Diagram	Order Reference	Colour	Width A (mm)	Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon
B-595 : Vinyl							
∞	B30C-500-595-BK	Black	12.70	30.40	1	1	B30-R10000-WT
∞	B30C-500-595-BL	Blue	12.70	30.40	1	1	B30-R10000-WT
∞	B30C-500-595-BR	Brown	12.70	30.40	1	1	B30-R10000-WT
∞	B30C-500-595-CL	Clear	12.70	30.40	1	1	B30-R10000
∞	B30C-500-595-GD	Gold	12.70	30.40	1	1	B30-R10000
∞	B30C-500-595-GN	Green	12.70	30.40	1	1	B30-R10000-WT
∞	B30C-500-595-GY	Grey	12.70	30.40	1	1	B30-R10000
∞	B30C-500-595-OR	Orange	12.70	30.40	1	1	B30-R10000
∞	B30C-500-595-PL	Purple	12.70	30.40	1	1	B30-R10000-WT
∞	B30C-500-595-RD	Red	12.70	30.40	1	1	B30-R10000-WT
∞	B30C-500-595-WT	White	12.70	30.40	1	1	B30-R10000
∞	B30C-500-595-YL	Yellow	12.70	30.40	1	1	B30-R10000
∞	B30C-1125-595-BK	Black	29.00	30.40	1	1	B30-R10000-WT
∞	B30C-1125-595-BL	Blue	29.00	30.40	1	1	B30-R10000-WT
∞	B30C-1125-595-BR	Brown	29.00	30.40	1	1	B30-R10000-WT
∞	B30C-1125-595-CL	Clear	29.00	30.40	1	1	B30-R10000
∞	B30C-1125-595-GD	Gold	29.00	30.40	1	1	B30-R10000
∞	B30C-1125-595-GN	Green	29.00	30.40	1	1	B30-R10000-WT
∞	B30C-1125-595-GY	Grey	29.00	30.40	1	1	B30-R10000
∞	B30C-1125-595-OC	Ochre	29.00	30.40	1	1	B30-R60000C
∞	B30C-1125-595-OR	Orange	29.00	30.40	1	1	B30-R10000
∞	B30C-1125-595-PL	Purple	29.00	30.40	1	1	B30-R10000-WT
∞	B30C-1125-595-RD	Red	29.00	30.40	1	1	B30-R10000-WT
∞	B30C-1125-595-WT	White	29.00	30.40	1	1	B30-R10000
∞	B30C-1125-595-YL	Yellow	29.00	30.40	1	1	B30-R10000
∞	B30C-2250-595-BK	Black	57.00	30.40	1	1	B30-R10000-WT
∞	B30C-2250-595-BL	Blue	57.00	30.40	1	1	B30-R10000-WT
∞	B30C-2250-595-BR	Brown	57.00	30.40	1	1	B30-R10000-WT
∞	B30C-2250-595-CL	Clear	57.00	30.40	1	1	B30-R10000
∞	B30C-2250-595-GD	Gold	57.00	30.40	1	1	B30-R10000
∞	B30C-2250-595-GN	Green	57.00	30.40	1	1	B30-R10000-WT
∞	B30C-2250-595-GY	Grey	57.00	30.40	1	1	B30-R10000
∞	B30C-2250-595-OC	Ochre	57.00	30.40	1	1	B30-R60000C
∞	B30C-2250-595-OR	Orange	57.00	30.40	1	1	B30-R10000
∞	B30C-2250-595-PL	Purple	57.00	30.40	1	1	B30-R10000-WT
∞	B30C-2250-595-RD	Red	57.00	30.40	1	1	B30-R10000-WT
∞	B30C-2250-595-WT	White	57.00	30.40	1	1	B30-R10000
∞	B30C-2250-595-YL	Yellow	57.00	30.40	1	1	B30-R10000
∞	B30C-3000-595-WT	White	75.00	30.40	1	1	B30-R10000
∞	B30C-3000-595-YL	Yellow	75.00	30.40	1	1	B30-R10000
∞	B30C-4000-595-BK	Black	101.00	30.40	1	1	B30-R10000-WT
∞	B30C-4000-595-BL	Blue	101.00	30.40	1	1	B30-R10000-WT
∞	B30C-4000-595-BR	Brown	101.00	30.40	1	1	B30-R10000-WT
∞	B30C-4000-595-CL	Clear	101.00	30.40	1	1	B30-R10000
∞	B30C-4000-595-GD	Gold	101.00	30.40	1	1	B30-R10000
∞	B30C-4000-595-GN	Green	101.00	30.40	1	1	B30-R10000-WT
∞	B30C-4000-595-GY	Grey	101.00	30.40	1	1	B30-R10000
∞	B30C-4000-595-OC	Ochre	101.00	30.40	1	1	B30-R60000C
∞	B30C-4000-595-OR	Orange	101.00	30.40	1	1	B30-R10000
∞	B30C-4000-595-PL	Purple	101.00	30.40	1	1	B30-R10000-WT
∞	B30C-4000-595-RD	Red	101.00	30.40	1	1	B30-R10000-WT
∞	B30C-4000-595-WT	White	101.00	30.40	1	1	B30-R10000
∞	B30C-4000-595-YL	Yellow	101.00	30.40	1	1	B30-R10000




Indoor/Outdoor vinyl

General purpose industrial vinyl for indoor/outdoor usage

- High gloss, durable and flexible identification material
- Adheres to difficult low surface energy materials
- Can handle up to 75°C, which meets industry maintenance temperatures
- Low-shrink Vinyl



Diagram	Order Reference	Colour	Width A (mm)	Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon
B-7569 : Vinyl							
∞	B30C-500-7569-BK	Black	12.70	30.00	1	1	B30-R10000-WT
∞	B30C-500-7569-BL	Blue	12.70	30.00	1	1	B30-R10000-WT
∞	B30C-500-7569-GN	Green	12.70	30.00	1	1	B30-R10000-WT
∞	B30C-500-7569-OR	Orange	12.70	30.00	1	1	B30-R10000
∞	B30C-500-7569-RD	Red	12.70	30.00	1	1	B30-R10000-WT
∞	B30C-500-7569-WT	White	12.70	30.00	1	1	B30-R10000
∞	B30C-500-7569-YL	Yellow	12.70	30.00	1	1	B30-R10000
∞	B30C-1125-7569-BK	Black	29.00	30.00	1	1	B30-R10000-WT
∞	B30C-1125-7569-BL	Blue	29.00	30.00	1	1	B30-R10000-WT
∞	B30C-1125-7569-GN	Green	29.00	30.00	1	1	B30-R10000-WT
∞	B30C-1125-7569-OR	Orange	29.00	30.00	1	1	B30-R10000
∞	B30C-1125-7569-RD	Red	29.00	30.00	1	1	B30-R10000-WT
∞	B30C-1125-7569-WT	White	29.00	30.00	1	1	B30-R10000
∞	B30C-1125-7569-YL	Yellow	29.00	30.00	1	1	B30-R10000
∞	B30C-2250-7569-BK	Black	57.00	30.00	1	1	B30-R10000-WT
∞	B30C-2250-7569-BL	Blue	57.00	30.00	1	1	B30-R10000-WT
∞	B30C-2250-7569-GN	Green	57.00	30.00	1	1	B30-R10000-WT
∞	B30C-2250-7569-OR	Orange	57.00	30.00	1	1	B30-R10000
∞	B30C-2250-7569-RD	Red	57.00	30.00	1	1	B30-R10000-WT
∞	B30C-2250-7569-WT	White	57.00	30.00	1	1	B30-R10000
∞	B30C-2250-7569-YL	Yellow	57.00	30.00	1	1	B30-R10000
∞	B30C-3000-7569-WT	White	75.00	30.00	1	1	B30-R10000
∞	B30C-3000-7569-YL	Yellow	75.00	30.00	1	1	B30-R10000
∞	B30C-4000-7569-BK	Black	101.00	30.00	1	1	B30-R10000-WT
∞	B30C-4000-7569-BL	Blue	101.00	30.00	1	1	B30-R10000-WT
∞	B30C-4000-7569-GN	Green	101.00	30.00	1	1	B30-R10000-WT
∞	B30C-4000-7569-OR	Orange	101.00	30.00	1	1	B30-R10000
∞	B30C-4000-7569-RD	Red	101.00	30.00	1	1	B30-R10000-WT
∞	B30C-4000-7569-WT	White	101.00	30.00	1	1	B30-R10000
∞	B30C-4000-7569-YL	Yellow	101.00	30.00	1	1	B30-R10000




Pre-cut blank labels

For general purpose, peel-off-and-apply identification

- Ideal for a wide range of labelling applications
- Indoor/Outdoor grade material



Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-7569 : Vinyl							
▲	B30-25-7569-WT	White	101.00	152.00	1	175	B30-R10000
▲	B30-25-7569-YL	Yellow	101.00	152.00	1	175	B30-R10000
▲	B30-242-7569-WT	White	29.00	72.00	1	300	B30-R10000
▲	B30-241-7569-WT	White	57.00	75.00	1	300	B30-R10000
▲	B30-241-7569-YL	Yellow	57.00	75.00	1	300	B30-R10000
▲	B30-219-7569-WT	White	57.00	98.00	1	250	B30-R10000
B-595 : Vinyl							
▲	B30-25-595-BLNKWT	White	101.00	152.00	1	175	B30-R10000
▲	B30-25-595-BLNKYL	Yellow	101.00	152.00	1	175	B30-R10000
▲	B30-242-595-BLNKWT	White	29.00	72.00	1	300	B30-R10000
▲	B30-241-595-BLNKWT	White	57.00	75.00	1	300	B30-R10000
▲	B30-241-595-BLNKYL	Yellow	57.00	75.00	1	300	B30-R10000
▲	B30-219-595-BLNKWT	White	57.00	98.00	1	250	B30-R10000



B30-R10000 coloured ribbons can also be used on these parts

Full material properties on page 224



Pre-printed GHS/CLP chemical labels

Print 2 colour GHS labels in one fast print pass!

- Blank labels with pre-printed red diamonds allow printer to produce 2 colour GHS/CLP labels in one print pass
- 3 sizes of labels, each with 6 different diamond layouts that match templates in MarkWare software
- Indoor/outdoor vinyl material withstands exposure to moisture, chemicals and handling
- MarkWare Software 3.9.1 or higher required (upgrades available for current MarkWare owners)





Diagram	Order Reference	Layout	Width A (mm)	Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-7569 : Vinyl							
▲	B30-260-7569-CLP1	L1	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP2	L2	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP3A	L3A	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP3B	L3B	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP4A	L4A	55.00	85.00	1	340	B30-R10000
▲	B30-260-7569-CLP4B	L4B	55.00	85.00	1	340	B30-R10000
▲	B30-261-7569-CLP1	L1	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP2	L2	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP3A	L3A	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP3B	L3B	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP4A	L4A	75.00	110.00	1	270	B30-R10000
▲	B30-261-7569-CLP4B	L4B	75.00	110.00	1	270	B30-R10000
▲	B30-262-7569-CLP1	L1	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP2	L2	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP3A	L3A	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP3B	L3B	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP4A	L4A	105.00	155.00	1	200	B30-R10000
▲	B30-262-7569-CLP4B	L4B	105.00	155.00	1	200	B30-R10000



CLP/GHS consumable kit

Label chemicals in compliance with the chemicals classification & labelling legislation.

Art. No.	Order Ref.	Description
195961	B30-CLP-KIT	Pre-printed GHS/CLP Chemical Labels kit for BBP3x Printers

This kit includes one each of the following parts:

Art. No.	Order Ref.	Description	Label Width (mm)	Label Height (mm)	Quantity
118084	B30-R10000	Ribbon(s)	110.00	-	1
121638	B30-260-7569-CLP4B	Label(s)	55.00	85.00	340
121644	B30-261-7569-CLP4B	Label(s)	75.00	110.00	270
121650	B30-262-7569-CLP4B	Label(s)	105.00	155.00	200

Compatible with BBP37, BBP35, BBP31 & BBP30 printers.




Non-adhesive continuous tag stock

For safety, lockout and general purpose hanging tags

- Non-adhesive, polyester stock
- Easy to hole-punch; optional snap-in grommets available. Order Reference: 020596
- Meets OSHA 50lb pullout spec for lockout tags

Diagram	Order Reference	Colour	Width A (mm)	Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon
B-551 : Polyester Tag							
∞	B30C-2500-551-WT	White	64.00	15.24	1	1	B30-R10000
∞	B30C-3250-551-WT	White	83.00	15.24	1	1	B30-R10000
∞	B30C-4250-551-WT	White	108.00	15.24	1	1	B30-R10000




Polyester labels

For general purpose industrial identification applications

- Widely used for PC board component ID, bin and shelf labels, barcoding and asset tracking
- 3 levels of adhesive strength



Diagram	Order Reference	Brady Material No.	Colour	Width A (mm)	Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
For smooth, textured/rough or Highly textured/Low surface energy surfaces										
⬢	B33-5-483	B-483	White	25.40	12.70	27.31	15.24	3	5000	B30-R6000HF
⬢	B33-5-489	B-489	White	25.40	12.70	27.31	15.24	3	5000	B30-R4300
▲	B33-17-483	B-483	White	50.80	25.40	-	28.60	1	1500	B30-R6000HF
▲	B33-17-489	B-489	White	50.80	25.40	-	28.60	1	1500	B30-R4300
▲	B33-19-483	B-483	White	76.20	50.80	-	54.00	1	500	B30-R6000HF
▲	B33-18-483	B-483	White	76.20	25.40	-	28.60	1	1500	B30-R6000HF
▲	B33-19-489	B-489	White	76.20	50.80	-	54.00	1	500	B30-R4300
▲	B33-18-489	B-489	White	76.20	25.40	-	28.60	1	1500	B30-R4300
For smooth & textured/rough surfaces										
▲	B33-17-432	B-432	Clear	50.80	25.40	-	28.60	1	5000	B30-R6000HF
▲	B33-18-432	B-432	Clear	76.20	25.40	-	28.60	1	1500	B30-R6000HF
▲	B33-19-432	B-432	Clear	76.20	50.80	-	54.00	1	500	B30-R6000HF
For smooth surfaces										
▲	B33-45-423	B-423	White	6.35	38.10	-	8.90	1	5000	B30-R6000HF
▲	B33-72-423	B-423	White	6.35	44.45	-	8.90	1	5000	B30-R6000HF
⬢	B33-12-8423	B-8423	White	12.70	11.10	12.70	14.13	7	2500	B30-R6000HF
⬢	B33-101-8423	B-8423	White	19.05	6.35	19.05	9.40	5	2500	B30-R6000HF
⬢	B33-G2-8423YL	B-8423	Yellow	20.00	8.00	23.00	15.00	4	5000	B30-R6000HF
⬢	B33-5-423	B-423	White	25.40	12.70	27.31	15.24	3	5000	B30-R6000HF
⬢	B33-13-8423	B-8423	White	31.75	6.35	34.75	9.35	3	2500	B30-R6000HF
⬢	B33-104-8423	B-8423	White	38.10	6.35	50.45	9.33	2	2500	B30-R6000HF
⬢	B33-6-8423	B-8423	White	38.10	19.05	50.10	22.05	2	2500	B30-R6000HF
▲	B33-17-423	B-423	White	50.80	25.40	-	28.60	1	1500	B30-R6000HF
▲	B33-17-430	B-430	Clear	50.80	25.40	-	28.60	1	1500	B30-R6000HF
▲	B33-18-423	B-423	White	76.20	25.40	-	28.60	1	1500	B30-R6000HF
▲	B33-18-430	B-430	Clear	76.20	25.40	-	28.60	1	1500	B30-R6000HF




Metallised polyester labels

For product labelling, asset tracking and general industrial identification.

- Silver metallic label withstands solvents and variable temperatures
- Ideal for serial number plates and rating plates with nameplate quality and metal looking finish



Diagram	Order Reference	Brady Material No.	Colour	Width A (mm)	Height B (mm)	Length B (m)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
For smooth surfaces											
⬢	B33-616-428	B-428	Silver	22.86	19.05	-	25.86	22.05	3	3000	B30-R4300
⬢	B33-5-428	B-428	Silver	25.40	12.70	-	27.31	15.24	3	5000	B30-R4300
∞	B30C-1125-565-SL	B-565	Silver	29.00	-	30.40	-	-	1	1	B30-R10000
⬢	B33-6-7563	B-7563	Silver	38.10	19.05	-	50.10	22.05	2	2500	B30-R6000HF
⬢	B30-135-7563	B-7563	Silver	38.10	19.05	-	50.80	22.22	2	3154	B30-R6000HF
▲	B30-17-7563	B-7563	Silver	50.80	25.40	-	-	28.57	1	1226	B30-R6000HF
▲	B30-17-438	B-438	Silver	50.80	25.40	-	-	28.60	1	1225	B30-R4300
▲	B33-17-428	B-428	Silver	50.80	25.40	-	-	28.60	1	1500	B30-R4300
∞	B30C-2250-565-SL	B-565	Silver	57.00	-	30.40	-	-	1	1	B30-R10000
▲	B30-7-7563	B-7563	Silver	69.85	31.75	-	-	34.92	1	1003	B30-R6000HF
∞	B30C-3000-438	B-438	Silver	75.00	-	30.40	-	-	1	1	B30-R4300
▲	B30-222-7563	B-7563	Silver	76.20	50.80	-	-	57.15	1	649	B30-R6000HF
▲	B30-18-438	B-438	Silver	76.20	25.40	-	-	31.75	1	1225	B30-R4300
▲	B30-222-438	B-438	Silver	76.20	50.80	-	-	57.15	1	650	B30-R4300
▲	B33-18-428	B-428	Silver	76.20	25.40	-	-	28.60	1	1500	B30-R4300
∞	B30C-4000-565-SL	B-565	Silver	101.00	-	30.40	-	-	1	1	B30-R10000
For smooth & textured/rough surfaces											




Full material properties on page 224

>>

Metallised polyester labels (continued)

Diagram	Order Reference	Brady Material No.	Colour	Width A (mm)	Height B (mm)	Length B (m)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
	B33-5-434	B-434	Silver	25.40	12.70	-	27.31	15.24	3	5000	B30-R6000HF
	B33-17-434	B-434	Silver	50.80	25.40	-	-	28.60	1	1500	B30-R6000HF
	B33-18-434	B-434	Silver	76.20	25.40	-	-	28.60	1	1500	B30-R6000HF
	B33-19-434	B-434	Silver	76.20	50.80	-	-	54.00	1	500	B30-R6000HF
For smooth, textured/rough or Highly textured/Low surface energy surfaces											
	B33-5-486	B-486	Silver	25.40	12.70	-	27.31	15.24	3	5000	B30-R4300
	B33-17-486	B-486	Silver	50.80	25.40	-	-	28.60	1	1300	B30-R4300
	B33-19-486	B-486	Silver	76.20	50.80	-	-	54.00	1	500	B30-R4300
	B33-18-486	B-486	Silver	76.20	25.40	-	-	28.60	1	1300	B30-R4300




Paper labels

Economical choice for light duty general identification.

- White finish and matt topcoat
- Excellent contrast and smear resistance for barcode printing

Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-424 : Paper								
	B33-25-424	White	152.40	101.60	155.60	1	350	B30-R4300
	B33-17-424	White	50.80	25.40	28.60	1	1500	B30-R4300
	B33-18-424	White	76.20	25.40	28.60	1	1500	B30-R4300
	B33-19-424	White	76.20	50.80	54.00	1	500	B30-R4300




Polypropylene labels

General labelling material for indoor use.

- Outstanding chemical and solvent resistance and print performance
- Not recommended for prolonged outdoor use (use B-595 indoor/outdoor vinyl for 8-10 year outdoor use)

Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-425: Polypropylene									
	B33-5-425	White	25.40	12.70	27.31	15.24	3	5000	B30-R4300
	B33-17-425	White	50.80	25.40	-	28.60	1	1500	B30-R4300
	B33-18-425	White	76.20	25.40	-	28.60	1	1500	B30-R4300
	B33-19-425	White	76.20	50.80	-	54.00	1	500	B30-R4300




Outdoor grade vinyl labels

For 8-10 year outdoor use

- Semi-gloss finish
- Good chemical, moisture, UV and weather resistance
- Highly pliable material conforms to rough and curved surfaces and equipment
- Average outdoor durability of the label is 8-10 years depending on the placement

Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-595 : Vinyl							
	B30-242-595-BLNKWT	White	29.00	72.00	1	300	B30-R10000
	B30-241-595-BLNKWT	White	57.00	75.00	1	300	B30-R10000
	B30-241-595-BLNKYL	Yellow	57.00	75.00	1	300	B30-R10000
	B30-219-595-BLNKWT	White	57.00	98.00	1	250	B30-R10000
	B30-25-595-BLNKWT	White	101.00	152.00	1	175	B30-R10000
	B30-25-595-BLNKYL	Yellow	101.00	152.00	1	175	B30-R10000



B30-R10000 coloured ribbons can also be used on these parts

i Average expected outdoor life of product will depend on user definition of failure, climatic conditions, mounting techniques and material colour. The up to 8 to 10 year outdoor durability applies to the vinyl label stock only; ribbon durability will vary. A polyester overlamine is recommended for harsh environments - long term exposure to wind and rain.

Standard polyimide labels

For circuit board labels and high-temperature general identification applications

- Withstands the various processes, fluxes and cleaning solvents encountered in the manufacture of printed circuit boards
- For use on top bottom-side component identification or board identification





Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-724 : Polyimide									
	B33-2-724	Amber	22.86	6.35	28.60	8.90	3	5000	B30-R4300
	B33-4-724	Amber	38.10	6.35	41.91	8.90	2	5000	B30-R4300
B-727 : Polyimide									
	B33-11-727	White	6.35	6.35	6.40	9.50	12	5000	B30-R6000HF
	B33-1-727	White	19.05	6.35	20.30	8.90	4	5000	B30-R6000HF
	B33-46-727	White	19.05	6.35	-	8.90	1	5000	B30-R6000HF
	B33-49-727	White	22.86	6.35	-	8.90	1	5000	B30-R6000HF
	B33-103-727	White	25.40	6.35	-	8.90	1	5000	B30-R6000HF
	B33-58-727	White	25.40	9.53	-	12.10	1	4000	B30-R6000HF
	B33-59-727	White	25.40	12.70	-	15.20	1	2500	B30-R6000HF
	B33-43-727	White	31.75	6.35	-	8.90	1	5000	B30-R6000HF
	B33-44-727	White	34.93	6.35	-	8.90	1	5000	B30-R6000HF
	B33-45-727	White	38.10	6.35	-	8.90	1	5000	B30-R6000HF



Static dissipative polyimide labels

For printed circuit board identification and electronic component identification

- Static dissipative adhesive and release liner with surface resistivity values
- Complies with EIA-541 packaging material standards for ESD sensitive items
- Withstands the various processes, fluxes and cleaning solvents encountered in the manufacture of PC boards
- For use on top or bottom-sided component identification or board identification





Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-717 : Polyimide									
	B33-43-717	White	31.75	6.35	-	7.62	1	5000	B30-R6000HF
B-719 : Polyimide									
	B33-43-719	White	31.75	6.35	-	8.89	1	5000	B30-R6000HF




Polyester labels

For circuit board and component identification

- Top and bottom-side component identification



Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-8423 : Polyester									
	B33-12-8423	White	12.70	11.10	12.70	14.13	7	2500	B30-R6000HF
	B33-101-8423	White	19.05	6.35	19.05	9.40	5	2500	B30-R6000HF
	B33-G2-8423YL	Yellow	20.00	8.00	23.00	15.00	4	5000	B30-R6000HF
	B33-13-8423	White	31.75	6.35	34.75	9.35	3	2500	B30-R6000HF
	B33-104-8423	White	38.10	6.35	50.45	9.33	2	2500	B30-R6000HF



Full material properties on page 224





EPREP Labels - Push button style

Lower cost than engraved legend plates

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (total thickness = 0.65 mm)
- High performance, low cost substitute to engraved plates
- 10 year outdoor durability rating
- On-demand labelling: labels print out in less than 4 seconds
- 5 push button sizes (including keyed and non-keyed 22.50 mm and 30.50 mm hole diam keyed)



Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Hole Diameter C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-593: Polyester									
	B30EP-167-593-WT	White	38.10	30.48	22.50	44.50	1	200	B30-R6000HF
	B30EP-167-593-RD	Red	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT
	B30EP-167-593-YL	Yellow	38.10	30.48	22.50	44.50	1	200	B30-R6000HF
	B30EP-167-593-GN	Green	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT
	B30EP-167-593-BK	Black	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT
	B30EP-167U-593-WT	White	38.10	30.48	22.50	44.50	1	200	B30-R6000HF
	B30EP-167U-593-RD	Red	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT
	B30EP-167U-593-YL	Yellow	38.10	30.48	22.50	44.50	1	200	B30-R6000HF
	B30EP-167U-593-GN	Green	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT
	B30EP-167U-593-BK	Black	38.10	30.48	22.50	44.50	1	200	B30-R4400-WT
	B30EP-169-593-WT	White	45.72	45.72	30.50	50.80	1	190	B30-R6000HF
	B30EP-169-593-RD	Red	45.72	45.72	30.50	50.80	1	190	B30-R4400-WT
	B30EP-169-593-YL	Yellow	45.72	45.72	30.50	50.80	1	190	B30-R6000HF
	B30EP-169-593-GN	Green	45.72	45.72	30.50	50.80	1	190	B30-R4400-WT
	B30EP-169-593-BK	Black	45.72	45.72	30.50	50.80	1	190	B30-R4400-WT
	B30EP-168-593-WT	White	48.26	30.48	22.50	54.00	1	180	B30-R6000HF
	B30EP-168-593-RD	Red	48.26	30.48	22.50	54.00	1	180	B30-R4400-WT
	B30EP-168-593-YL	Yellow	48.26	30.48	22.50	54.00	1	180	B30-R6000HF
	B30EP-168-593-GN	Green	48.26	30.48	22.50	54.00	1	180	B30-R4400-WT
	B30EP-168-593-BK	Black	48.26	30.48	22.50	54.00	1	180	B30-R4400-WT
	B30EP-170-593-WT	White	60.96	60.96	30.50	66.70	1	145	B30-R6000HF
	B30EP-170-593-RD	Red	60.96	60.96	30.50	66.70	1	145	B30-R4400-WT
	B30EP-170-593-YL	Yellow	60.96	60.96	30.50	66.70	1	145	B30-R6000HF
	B30EP-170-593-GN	Green	60.96	60.96	30.50	66.70	1	145	B30-R4400-WT
	B30EP-170-593-BK	Black	60.96	60.96	30.50	66.70	1	145	B30-R4400-WT



EPREP Labels

Lower cost than engraved legend plates

- High gloss, polyester label with thick raised profile and ultra-aggressive adhesive (0.65 mm)
- Ideal for inside-panel backer board labels and front-of-enclosure labelling
- On-demand labelling: labels print out in less than 4 seconds
- No need to abbreviate your text to avoid per character engraving charges
- 10-year outdoor durability rating
- 6 colours, 7 rectangular sizes






Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-593: Polyester								
	B30EP-171-593-WT	White	26.92	12.70	19.10	1	500	B30-R6000HF
	B30EP-171-593-RD	Red	26.92	12.70	19.10	1	500	B30-R4400-WT
	B30EP-171-593-YL	Yellow	26.92	12.70	19.10	1	500	B30-R6000HF
	B30EP-171-593-GN	Green	26.92	12.70	19.10	1	500	B30-R4400-WT
	B30EP-171-593-SL	Silver	26.92	12.70	19.10	1	500	B30-R6000HF
	B30EP-171-593-BK	Black	26.92	12.70	19.10	1	500	B30-R4400-WT
	B30EP-172-593-WT	White	44.99	14.99	21.60	1	450	B30-R6000HF
	B30EP-172-593-RD	Red	44.99	14.99	21.60	1	450	B30-R4400-WT
	B30EP-172-593-YL	Yellow	44.99	14.99	21.60	1	450	B30-R6000HF
	B30EP-172-593-GN	Green	44.99	14.99	21.60	1	450	B30-R4400-WT
	B30EP-172-593-SL	Silver	44.99	14.99	21.60	1	450	B30-R6000HF
	B30EP-172-593-BK	Black	44.99	14.99	21.60	1	450	B30-R4400-WT
	B30EP-173-593-WT	White	50.80	25.40	31.80	1	300	B30-R6000HF
	B30EP-173-593-RD	Red	50.80	25.40	31.80	1	300	B30-R4400-WT
	B30EP-173-593-YL	Yellow	50.80	25.40	31.80	1	300	B30-R6000HF
	B30EP-173-593-GN	Green	50.80	25.40	31.80	1	300	B30-R4400-WT
	B30EP-173-593-SL	Silver	50.80	25.40	31.80	1	300	B30-R6000HF
	B30EP-173-593-BK	Black	50.80	25.40	31.80	1	300	B30-R4400-WT
	B30EP-175-593-WT	White	76.20	19.05	25.40	1	375	B30-R6000HF



>>

EPREP Labels (continued)

Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
	B30EP-175-593-YL	Yellow	76.20	19.05	25.40	1	375	B30-R6000HF
	B30EP-175-593-GN	Green	76.20	19.05	25.40	1	375	B30-R4400-WT
	B30EP-175-593-BK	Black	76.20	19.05	25.40	1	375	B30-R4400-WT
	B30EP-176-593-WT	White	76.20	25.40	31.80	1	300	B30-R6000HF
	B30EP-176-593-YL	Yellow	76.20	25.40	31.80	1	300	B30-R6000HF
	B30EP-176-593-GN	Green	76.20	25.40	31.80	1	300	B30-R4400-WT
	B30EP-176-593-BK	Black	76.20	25.40	31.80	1	300	B30-R4400-WT
	B30EP-177-593-WT	White	76.20	63.50	69.90	1	125	B30-R6000HF
	B30EP-177-593-YL	Yellow	76.20	63.50	69.90	1	125	B30-R6000HF
	B30EP-177-593-GN	Green	76.20	63.50	69.90	1	125	B30-R4400-WT
	B30EP-177-593-BK	Black	76.20	63.50	69.90	1	125	B30-R4400-WT
	B30EP-174-593-WT	White	101.60	25.40	31.80	1	300	B30-R6000HF
	B30EP-174-593-RD	Red	101.60	25.40	31.80	1	300	B30-R4400-WT
	B30EP-174-593-YL	Yellow	101.60	25.40	31.80	1	300	B30-R6000HF
	B30EP-174-593-GN	Green	101.60	25.40	31.80	1	300	B30-R4400-WT
	B30EP-174-593-SL	Silver	101.60	25.40	31.80	1	300	B30-R6000HF
	B30EP-174-593-BK	Black	101.60	25.40	31.80	1	300	B30-R4400-WT



Inside-panel component labels

For automation & electrical panels and enclosures

- Various sizes in several durable material types
- Ideal for marking backer board, DIN rail, relays, PLCs, switches, solenoids, drive motors and other components
- All recommended materials are flexible and have high-tack adhesives for adhesion to wide variety of surfaces and components




Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Length B (m)	Size - Diam A (mm)	Vertical Repeat D (mm)	Horizontal Repeat C (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-483: Polyester											
	B33-5-483	White	25.40	12.70	-	-	15.24	27.31	3	5000	B30-R6000HF
	B33-17-483	White	50.80	25.40	-	-	28.60	-	1	1500	B30-R6000HF
	B33-18-483	White	76.20	25.40	-	-	28.60	-	1	1500	B30-R6000HF
	B33-19-483	White	76.20	50.80	-	-	54.00	-	1	500	B30-R6000HF
B-498: Vinyl Cloth											
	B33-90-498	White	6.35	36.50	-	-	39.70	8.90	6	2500	B30-R6200
	B33-68-498	White	12.70	19.05	-	-	22.20	15.20	4	5000	B30-R6200
	B33-87-498	White	12.70	36.50	-	-	39.70	15.20	6	2500	B30-R6200
	B33-1-498	White	19.05	6.35	-	-	8.90	20.30	4	5000	B30-R6200
	B33-95-498	White	20.32	36.50	-	-	39.70	22.90	3	2300	B30-R6200
	B33-5-498	White	25.40	12.70	-	-	15.24	27.31	3	5000	B30-R6200
	B33-88-498	White	25.40	19.05	-	-	22.23	27.90	2	2500	B30-R6200
	B33-89-498	White	25.40	36.50	-	-	39.70	27.90	3	2300	B30-R6200
B-499: Nylon Cloth											
	B33-143-499	White	-	-	-	9.53	12.70	12.10	4	1500	B30-R6000HF
	B33-144-499	White	-	-	-	12.70	15.90	15.20	3	1500	B30-R6000HF
	B33-602-499	White	-	-	-	9.53	16.50	12.53	3	3000	B30-R6000HF
	B33-602-499YL	Yellow	-	-	-	9.53	16.50	12.53	3	3000	B30-R6000HF
	B33-603-499	White	-	-	-	12.70	15.70	15.70	3	3000	B30-R6000HF
	B33-603-499YL	Yellow	-	-	-	12.70	15.70	15.70	3	3000	B30-R6000HF
	B33-68-499	White	12.70	19.05	-	-	22.20	15.20	4	1500	B30-R6000HF
	B33-165-499	White	20.32	36.50	-	-	39.70	22.90	4	2500	B30-R6000HF
	B33-125-499	White	22.86	12.70	-	-	15.24	-	1	1500	B30-R6000HF
	B33-152-499	White	25.40	9.53	-	-	12.07	27.94	2	1500	B30-R6000HF
	B33-136-499	White	38.10	19.05	-	-	22.23	-	1	1500	B30-R6000HF
	B33-151-499	White	50.80	6.35	-	-	8.89	-	1	1500	B30-R6000HF
	B33-137-499	White	50.80	25.40	-	-	28.58	-	1	1100	B30-R6000HF
B-595: Polyester											
	B30EP-171-593-WT	White	26.92	12.70	-	-	19.10	-	1	500	B30-R6000HF
	B30EP-171-593-SL	Silver	26.92	12.70	-	-	19.10	-	1	500	B30-R6000HF
	B30EP-171-593-BK	Black	26.92	12.70	-	-	19.10	-	1	500	B30-R4400-WT
B-595: Vinyl											
	B30C-500-595-WT	White	12.70	-	30.40	-	-	-	1	1	B30-R10000
	B30C-500-595-YL	Yellow	12.70	-	30.40	-	-	-	1	1	B30-R10000

Full material properties on page 224



Self-laminating wire & cable markers

Brady's most popular wire marker!

- Features white printable area with clear "tail" that wraps around marker to protect text
- Superior resistance to abrasion, handling, solvents, water, oil and dirt
- Permanent acrylic adhesive designed specifically for tightly curved surfaces







Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Printable Area Width PW (mm)	Printable Area Height PH (mm)	Vertical Repeat D (mm)	Horizontal Repeat C (mm)	Labels per Row	Labels per Roll	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Recommended Ribbon
B-427 : Self-laminating Vinyl													
	B33-80-427	White/Transparent	12.70	19.05	12.70	9.53	24.10	15.20	4	2500	2.00	3.00	B30-R4300
	B33-113-427	White/Transparent	12.70	25.40	12.70	9.53	28.60	15.20	4	2500	2.70	5.10	B30-R4300
	B33-8-427	White/Transparent	12.70	36.50	12.70	12.70	41.30	16.80	5	5000	3.90	7.60	B30-R4300
	B33-56-427	White/Transparent	19.05	23.81	19.05	9.53	28.60	20.30	4	5000	2.50	4.50	B30-R4300
	B33-73-427	White/Transparent	19.05	44.45	19.05	12.70	47.60	20.30	4	3500	4.70	10.10	B30-R4300
	B33-74-427	White/Transparent	20.32	36.50	20.32	12.70	41.30	20.30	4	4000	3.90	7.60	B30-R4300
	B33-81-427	White/Transparent	25.40	152.40	25.40	38.10	157.10	27.90	2	500	16.20	36.40	B30-R4300
	B33-115-427	White/Transparent	25.40	19.05	25.40	9.53	22.20	27.94	1	2500	-	-	B30-R4300
	B33-116-427	White/Transparent	25.40	25.40	25.40	9.53	28.60	27.90	2	2500	2.70	5.10	B30-R4300
	B33-211-427	White/Transparent	25.40	25.40	25.40	9.53	32.13	29.74	3	3000	2.70	5.10	B30-R4300
	B33-311-427	White/Transparent	25.40	31.75	25.40	12.70	37.72	28.50	3	3000	3.40	6.10	B30-R4300
	B33-9-427	White/Transparent	25.40	36.50	25.40	12.70	41.30	27.30	3	2500	3.90	7.60	B30-R4300
	B33-75-427	White/Transparent	25.40	57.15	25.40	19.05	60.30	27.90	2	1400	6.10	12.10	B30-R4300
	B33-511-427	White/Transparent	25.40	63.50	25.40	19.05	70.64	33.50	3	1500	6.70	14.20	B30-R4300
	B33-10-427	White/Transparent	25.40	95.25	25.40	25.40	101.60	27.30	3	1200	10.10	22.20	B30-R4300
	B33-118-427	White/Transparent	38.10	25.40	38.10	9.53	28.60	-	1	1250	2.70	5.10	B30-R4300
	B33-119-427	White/Transparent	38.10	38.10	38.10	12.70	41.30	-	1	1000	4.00	8.10	B30-R4300
	B33-272-427	White/Transparent	38.10	57.15	38.10	19.05	63.50	-	1	700	-	-	B30-R4300
	B33-517-427	White/Transparent	38.10	63.50	38.10	19.05	69.85	49.00	2	1000	6.70	14.20	B30-R4300
	B33-120-427	White/Transparent	44.45	25.40	44.45	9.53	28.60	-	1	1250	2.70	5.10	B30-R4300
	B33-121-427	White/Transparent	44.45	38.10	44.45	12.70	41.30	-	1	1000	4.00	8.10	B30-R4300
	B33-273-427	White/Transparent	44.45	57.15	44.45	19.05	63.50	-	1	500	-	-	B30-R4300
	B33-82-427	White/Transparent	50.80	152.40	50.80	38.10	157.15	-	1	200	-	-	B30-R4300
	B33-27-427	White/Transparent	50.80	95.25	50.80	25.40	101.60	-	1	400	10.10	22.20	B30-R4300
	B33-26-427	White/Transparent	63.50	57.15	63.50	19.05	61.90	-	1	500	6.10	12.10	B30-R4300
	B33-131-427	White/Transparent	66.68	25.40	25.40	25.40	28.60	-	1	1500	2.70	5.10	B30-R4300



Fibre optic labels

Ideal for marking fibre optic cables.

- Allows you to handle and view labels without touching the wires.





Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-425 : Polypropylene									
	B33FP-01-425	White	30.00	10.00	-	26.03	1	1000	B30-R4300
	B33FT-01-425	White	30.00	10.00	33.00	46.03	2	1000	B30-R4300

Full material properties on page 224

Tear resistant tags

This tag can be used for a variety of applications including identification of multi-conductor cables, inventory and equipment.




Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-7597 : Polyethylene Tag								
	B33-7597W-2050	White	50.80	12.70	16.72	1	2000	B30-R4300

Repositionable vinyl cloth wire & cable markers

Holds strong but can be removed cleanly and re-applied.

- A vinyl cloth label for marking wires and cables
- Highly unique adhesive and cloth construction gives excellent holding power and still allows for clean removal and re-application
- Ideal choice for marking both ends of a wire that you may need to cut shorter before final termination




Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-498 : Vinyl Cloth									
	B33-90-498	White	6.35	36.50	8.90	39.70	6	2500	B30-R6200
	B33-87-498	White	12.70	36.50	15.20	39.70	6	2500	B30-R6200
	B33-68-498	White	12.70	19.05	15.20	22.20	4	5000	B30-R6200
	B33-1-498	White	19.05	6.35	20.30	8.90	4	5000	B30-R6200
	B33-91-498	White	19.05	23.80	21.60	27.00	4	2500	B30-R6200
	B33-95-498	White	20.32	36.50	22.90	39.70	3	2300	B30-R6200
	B33-88-498	White	25.40	19.05	27.90	22.23	2	2500	B30-R6200
	B33-5-498	White	25.40	12.70	27.31	15.24	3	5000	B30-R6200
	B33-89-498	White	25.40	36.50	27.90	39.70	3	2300	B30-R6200

Wire & cable markers

This nylon cloth material has superb adhesive power, making it a flexible all surfaces solution.





Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Horizontal Repeat C (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-499 : Nylon Cloth									
	B33-611-499	White	12.70	25.40	15.70	28.40	3	3000	B30-R6000HF
	B33-620-499	White	12.70	25.40	-	28.40	1	1000	B30-R6000HF
	B33-125-499	White	22.86	12.70	-	15.24	1	1500	B30-R6000HF
	B33-152-499	White	25.40	9.53	27.94	12.07	2	1500	B30-R6000HF
	B33-621-499	White	25.40	36.50	28.40	39.50	3	3000	B30-R6000HF
	B33-625-499	White	25.40	66.68	28.40	69.68	3	1500	B30-R6000HF
	B33-659-499	White	25.40	12.40	-	15.40	1	1000	B30-R6000HF
	B33-151-499	White	50.80	6.35	-	8.89	1	1500	B30-R6000HF



B-7598 Polyester cable tag

The B-7598 polyester tag is a general identification tag for cables exposed to extreme conditions. It requires cable ties to apply to cables with various diameters. Common applications for this cable tag material are:

- Identification of multi-conductor cables
- Identification of cables in mobile phone towers
- Identification of datacom or telecom cables in general
- General cable identification that must be extremely resistant





Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Package	Ribbon Series
	B33-60x10-7598-WT	Polyester Tag	White	60.00	10.00	15.08	1	1000	B30-R6000
	B33-60x10-7598-YL	Polyester Tag	Yellow	60.00	10.00	15.08	1	1000	B30-R6000
	B33-60x10-7598-GN	Polyester Tag	Green	60.00	10.00	15.08	1	1000	B30-R6000
	B33-60x10-7598-RD	Polyester Tag	Red	60.00	10.00	15.08	1	1000	B30-R6000
	B33-60x10-7598-SV	Polyester Tag	Silver	60.00	10.00	15.08	1	1000	B30-R6000
	B33-60x10-7598-BK	Polyester Tag	Black	60.00	10.00	15.08	1	1000	B30-R4400-WT
	B33-60x10-7598-BL	Polyester Tag	Blue	60.00	10.00	15.08	1	1000	B30-R6000
	B33-75x10-7598-WT	Polyester Tag	White	75.00	10.00	15.08	1	1000	B30-R6000
	B33-75x10-7598-YL	Polyester Tag	Yellow	75.00	10.00	15.08	1	1000	B30-R6000
	B33-75x10-7598-GN	Polyester Tag	Green	75.00	10.00	15.08	1	1000	B30-R6000
	B33-75x10-7598-RD	Polyester Tag	Red	75.00	10.00	15.08	1	1000	B30-R6000
	B33-75x10-7598-SV	Polyester Tag	Silver	75.00	10.00	15.08	1	1000	B30-R6000
	B33-75x10-7598-BK	Polyester Tag	Black	75.00	10.00	15.08	1	1000	B30-R4400-WT
	B33-75x10-7598-BL	Polyester Tag	Blue	75.00	10.00	15.08	1	1000	B30-R6000
	B33-75x15-7598-WT	Polyester Tag	White	75.00	15.00	20.02	1	1000	B30-R6000
	B33-75x15-7598-YL	Polyester Tag	Yellow	75.00	15.00	20.02	1	1000	B30-R6000
	B33-75x15-7598-GN	Polyester Tag	Green	75.00	15.00	20.02	1	1000	B30-R6000
	B33-75x15-7598-RD	Polyester Tag	Red	75.00	15.00	20.02	1	1000	B30-R6000
	B33-75x15-7598-SV	Polyester Tag	Silver	75.00	15.00	20.02	1	1000	B30-R6000
	B33-75x15-7598-BK	Polyester Tag	Black	75.00	15.00	20.02	1	1000	B30-R4400-WT
	B33-75x15-7598-BL	Polyester Tag	Blue	75.00	15.00	20.02	1	1000	B30-R6000
	B33-75x25-7598-WT	Polyester Tag	White	75.00	25.00	30.16	1	500	B30-R6000
	B33-75x25-7598-YL	Polyester Tag	Yellow	75.00	25.00	30.16	1	500	B30-R6000
	B33-75x25-7598-GN	Polyester Tag	Green	75.00	25.00	30.16	1	500	B30-R6000
	B33-75x25-7598-RD	Polyester Tag	Red	75.00	25.00	30.16	1	500	B30-R6000
	B33-75x25-7598-SV	Polyester Tag	Silver	75.00	25.00	30.16	1	500	B30-R6000
	B33-75x25-7598-BK	Polyester Tag	Black	75.00	25.00	30.16	1	500	B30-R4400-WT
	B33-75x25-7598-BL	Polyester Tag	Blue	75.00	25.00	30.16	1	500	B30-R6000



B-7599 Polyethylene tag

BBP33 Rapido wire marking sleeves

Rapido Wiremarking sleeves are fast and easy to apply. Simply squeeze the edges of the material together, thread your wire through the holes and pull away the wire to release the marker.

Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
B-7599 : Polyethylene Tag								
	B33R-01-7599-YL	Yellow	22.90	5.20	8.39	1	2500	B30-R4300, B30-R6200
	B33R-02-7599-YL	Yellow	23.00	5.20	8.39	1	2500	B30-R4300, B30-R6200
	B33R-03-7599-YL	Yellow	25.00	5.70	8.89	1	2500	B30-R4300, B30-R6200

B-7643 Halogen-free cable tag

- These cable markers are made of halogen-free polyurethane material.
- The markers are tough, imperishable and with a very high degree of mark permanence in almost any environment.






Diagram	Order Reference	Material	Colour	Label Width A (mm)	Label Height B (mm)	Vertical Repeat D (mm)	Labels per Row	Labels per Package	Ribbon Series
	B33-60x10-7643-WT	Thermoplastic Polyether Polyurethane	White	60.00	10.00	15.08	1	750	B30-R6000HF
	B33-60x10-7643-YL	Thermoplastic Polyether Polyurethane	Yellow	60.00	10.00	15.08	1	750	B30-R6000HF
	B33-60x10-7643-GN	Thermoplastic Polyether Polyurethane	Green	60.00	10.00	15.08	1	750	B30-R6000HF
	B33-60x10-7643-RD	Thermoplastic Polyether Polyurethane	Red	60.00	10.00	15.08	1	750	B30-R6000HF
	B33-60x10-7643-OR	Thermoplastic Polyether Polyurethane	Orange	60.00	10.00	15.08	1	750	B30-R6000HF
	B33-60x10-7643-BK	Thermoplastic Polyether Polyurethane	Black	60.00	10.00	15.08	1	750	B30-R4400-WT
	B33-60x10-7643-BL	Thermoplastic Polyether Polyurethane	Blue	60.00	10.00	15.08	1	750	B30-R6000HF
	B33-75x10-7643-WT	Thermoplastic Polyether Polyurethane	White	75.00	10.00	15.08	1	750	B30-R6000HF
	B33-75x10-7643-YL	Thermoplastic Polyether Polyurethane	Yellow	75.00	10.00	15.08	1	750	B30-R6000HF
	B33-75x10-7643-GN	Thermoplastic Polyether Polyurethane	Green	75.00	10.00	15.08	1	750	B30-R6000HF
	B33-75x10-7643-RD	Thermoplastic Polyether Polyurethane	Red	75.00	10.00	15.08	1	750	B30-R6000HF
	B33-75x10-7643-OR	Thermoplastic Polyether Polyurethane	Orange	75.00	10.00	15.08	1	750	B30-R6000HF
	B33-75x10-7643-BK	Thermoplastic Polyether Polyurethane	Black	75.00	10.00	15.08	1	750	B30-R4400-WT
	B33-75x10-7643-BL	Thermoplastic Polyether Polyurethane	Blue	75.00	10.00	15.08	1	750	B30-R6000HF
	B33-75x15-7643-WT	Thermoplastic Polyether Polyurethane	White	75.00	15.00	20.02	1	500	B30-R6000HF
	B33-75x15-7643-YL	Thermoplastic Polyether Polyurethane	Yellow	75.00	15.00	20.02	1	500	B30-R6000HF
	B33-75x15-7643-GN	Thermoplastic Polyether Polyurethane	Green	75.00	15.00	20.02	1	500	B30-R6000HF
	B33-75x15-7643-RD	Thermoplastic Polyether Polyurethane	Red	75.00	15.00	20.02	1	500	B30-R6000HF
	B33-75x15-7643-OR	Thermoplastic Polyether Polyurethane	Orange	75.00	15.00	20.02	1	500	B30-R6000HF
	B33-75x15-7643-BK	Thermoplastic Polyether Polyurethane	Black	75.00	15.00	20.02	1	500	B30-R4400-WT
	B33-75x15-7643-BL	Thermoplastic Polyether Polyurethane	Blue	75.00	15.00	20.02	1	500	B30-R6000HF
	B33-75x25-7643-WT	Thermoplastic Polyether Polyurethane	White	75.00	25.00	30.16	1	250	B30-R6000HF
	B33-75x25-7643-YL	Thermoplastic Polyether Polyurethane	Yellow	75.00	25.00	30.16	1	250	B30-R6000HF
	B33-75x25-7643-GN	Thermoplastic Polyether Polyurethane	Green	75.00	25.00	30.16	1	250	B30-R6000HF
	B33-75x25-7643-RD	Thermoplastic Polyether Polyurethane	Red	75.00	25.00	30.16	1	250	B30-R6000HF
	B33-75x25-7643-OR	Thermoplastic Polyether Polyurethane	Orange	75.00	25.00	30.16	1	250	B30-R6000HF
	B33-75x25-7643-BK	Thermoplastic Polyether Polyurethane	Black	75.00	25.00	30.16	1	250	B30-R4400-WT
	B33-75x25-7643-BL	Thermoplastic Polyether Polyurethane	Blue	75.00	25.00	30.16	1	250	B30-R6000HF



Coloured nylon wire and cable ties

Perfect for colour coded applications. See page 187 for ordering information.




Adhesive terminal block markers

Holds strong but can be removed cleanly and re-applied.

- Specially designed narrow-width continuous label for alignment on terminal blocks and patch panels
- Highly unique adhesive and cloth construction gives excellent holding power and still allows for clean removal and re-application

Diagram	Order Reference	Colour	Width A (mm)	Length B (m)	Labels per Row	Labels per Roll	Recommended Ribbon
B-498 : Vinyl Cloth							
	B33C-312-498	White	7.92	25.91	1	1	B30-R6200
	B33C-375-498	White	9.53	25.91	1	1	B30-R6200




PermaSleeve HX polyolefin wire marking sleeves

Military/Industrial grade. 2:1 Shrink ratio

- A 2:1 heat shrinkable wire marker sleeve that fits snugly around wires
- Flame-retardant and high-temp rated but not as high temp as B-345 "HT" Sleeves
- Meets industry specifications

Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
Single-sided Printable									
	B33-94-2-7642	White	50.80	4.60	1.19	2.03	1	500	B30-R4300
	B33-125-2-7642	White	50.80	6.00	1.57	2.79	1	500	B30-R4300
	B33-187-2-7642	White	50.80	8.50	2.39	3.83	1	450	B30-R4300
	B33-250-2-7642	White	50.80	11.15	3.17	5.46	1	400	B30-R4300
	B33-375-2-7642	White	50.80	16.40	4.77	8.13	1	250	B30-R4300
	B33-500-2-7642	White	50.80	21.60	6.35	11.43	1	225	B30-R4300
	B33-750-2-7642	White	50.80	31.40	9.52	17.78	1	150	B30-R4300
	B33-1000-2-7642	White	50.80	42.16	11.43	24.13	1	150	B30-R4300
	B33-1500-2-7642	White	50.80	61.80	19.05	35.56	1	50	B30-R4300
	B33-2000-2-7642	White	50.80	80.40	25.40	48.26	1	50	B30-R4300
Double-sided Printable									
	B33D-94-2-7642	White	50.80	4.60	1.19	2.03	1	500	B30-R4300
	B33D-125-2-7642	White	50.80	6.00	1.57	2.79	1	500	B30-R4300
	B33D-187-2-7642	White	50.80	8.50	2.39	3.83	1	450	B30-R4300
	B33D-250-2-7642	White	50.80	11.15	3.17	5.46	1	400	B30-R4300
	B33D-375-2-7642	White	50.80	16.40	4.77	8.13	1	250	B30-R4300
	B33D-500-2-7642	White	50.80	21.60	6.35	11.43	1	225	B30-R4300
	B33D-750-2-7642	White	50.80	31.40	9.52	17.78	1	150	B30-R4300
	B33D-1000-2-7642	White	50.80	42.16	11.43	24.13	1	150	B30-R4300
	B33D-1500-2-7642	White	50.80	61.80	19.05	35.56	1	50	B30-R4300
	B33D-2000-2-7642	White	50.80	80.40	25.40	48.26	1	50	B30-R4300



PermaSleeve PS polyolefin wire marking sleeves

Standard military/industrial grade. 3:1 Shrink ratio

- A 3:1 heat shrinkable wire marker sleeve that fits snugly around wires
- Can be used for identification or wire protection
- Fade-resistant and flame-retardant




Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
Double-sided Printable									
V	B33D-94-2-342BK	Black	50.80	4.60	0.58	2.03	1	1000	B30-R4500-SV
V	B33D-94-2-342	White	50.80	4.60	0.58	2.03	1	1000	B30-R4300
V	B33D-94-2-342YL	Yellow	50.80	4.60	0.58	2.03	1	1000	B30-R4300
V	B33D-125-2-342BK	Black	50.80	6.00	1.17	2.79	1	1000	B30-R4500-SV
V	B33D-125-2-342	White	50.80	6.00	1.17	2.79	1	1000	B30-R4300
V	B33D-125-2-342YL	Yellow	50.80	6.00	1.17	2.79	1	1000	B30-R4300
V	B33D-187-2-342BK	Black	50.80	8.50	1.57	3.81	1	750	B30-R4500-SV
V	B33D-187-2-342	White	50.80	8.50	1.57	3.81	1	750	B30-R4300
V	B33D-187-2-342YL	Yellow	50.80	8.50	1.57	3.81	1	750	B30-R4300
V	B33D-250-2-342BK	Black	50.80	11.15	2.39	5.46	1	500	B30-R4500-SV
V	B33D-250-2-342	White	50.80	11.15	2.39	5.46	1	500	B30-R4300
V	B33D-250-2-342YL	Yellow	50.80	11.15	2.39	5.46	1	500	B30-R4300
V	B33D-375-2-342BK	Black	50.80	16.40	3.18	8.13	1	500	B30-R4500-SV
V	B33D-375-2-342	White	50.80	16.40	3.18	8.13	1	500	B30-R4300
V	B33D-375-2-342YL	Yellow	50.80	16.40	3.18	8.13	1	500	B30-R4300
V	B33D-500-2-342BK	Black	50.80	21.60	4.75	11.43	1	350	B30-R4500-SV
V	B33D-500-2-342	White	50.80	21.60	4.75	11.43	1	350	B30-R4300
V	B33D-500-2-342YL	Yellow	50.80	21.60	4.75	11.43	1	350	B30-R4300
V	B33D-750-2-342YL	Yellow	50.80	31.80	6.35	17.78	1	250	B30-R4300
V	B33D-750-2-342BK	Black	50.80	31.80	6.35	17.78	1	250	B30-R4500-SV
V	B33D-750-2-342	White	50.80	31.80	6.35	17.78	1	250	B30-R4300
V	B33D-1000-2-342BK	Black	50.80	42.16	9.53	24.13	1	250	B30-R4500-SV
V	B33D-1000-2-342YL	Yellow	50.80	42.16	9.53	24.13	1	250	B30-R4300
V	B33D-1000-2-342	White	50.80	42.16	9.53	24.13	1	250	B30-R4300
V	B33D-1500-2-342BK	Black	50.80	61.80	12.70	36.83	1	150	B30-R4500-SV
V	B33D-1500-2-342	White	50.80	61.80	12.70	36.83	1	150	B30-R4300
V	B33D-1500-2-342YL	Yellow	50.80	61.80	12.70	36.83	1	150	B30-R4300
Single-sided Printable									
V	B33-94-2-342-2	White	25.40	4.60	0.58	2.03	2	2000	B30-R4300
V	B33-94-2-342YL-2	Yellow	25.40	4.60	0.58	2.03	2	2000	B30-R4300
V	B33-94-2-342	White	50.80	4.60	0.58	2.03	1	1000	B30-R4300
V	B33-94-2-342YL	Yellow	50.80	4.60	0.58	2.03	1	1000	B30-R4300
V	B33-125-2-342-2	White	25.40	6.00	1.17	2.79	2	2000	B30-R4300
V	B33-125-2-342YL-2	Yellow	25.40	6.00	1.17	2.79	2	2000	B30-R4300
V	B33-125-2-342	White	50.80	6.00	1.17	2.79	1	1000	B30-R4300
V	B33-125-2-342YL	Yellow	50.80	6.00	1.17	2.79	1	1000	B30-R4300
V	B33-187-2-342-2	White	25.40	8.50	1.57	3.81	2	1500	B30-R4300
V	B33-187-2-342	White	50.80	8.50	1.57	3.81	1	750	B30-R4300
V	B33-187-2-342YL	Yellow	50.80	8.50	1.57	3.81	1	750	B30-R4300
V	B33-250-2-342-2	White	25.40	11.15	2.39	5.46	2	1000	B30-R4300
V	B33-250-2-342YL	Yellow	50.80	11.15	2.39	5.46	1	500	B30-R4300
V	B33-250-2-342	White	50.80	11.15	2.39	5.46	1	500	B30-R4300
V	B33-375-2-342-2	White	25.40	16.40	3.18	8.13	2	1000	B30-R4300
V	B33-375-2-342YL	Yellow	50.80	16.40	3.18	8.13	1	500	B30-R4300
V	B33-375-2-342	White	50.80	16.40	3.18	8.13	1	500	B30-R4300
V	B33-500-2-342-2	White	25.40	21.60	4.75	11.43	2	700	B30-R4300
V	B33-500-2-342YL-2	Yellow	25.40	21.60	4.75	11.43	2	700	B30-R4300
V	B33-500-2-342YL	Yellow	50.80	21.60	4.75	11.43	1	350	B30-R4300
V	B33-500-2-342	White	50.80	21.60	4.75	11.43	1	350	B30-R4300
V	B33-750-2-342YL	Yellow	50.80	31.80	6.35	17.78	1	250	B30-R4300
V	B33-750-2-342	White	50.80	31.80	6.35	17.78	1	250	B30-R4300
V	B33-1000-2-342-2	White	25.40	42.16	9.53	24.13	2	500	B30-R4300
V	B33-1000-2-342YL-2	Yellow	25.40	42.16	9.53	24.13	2	500	B30-R4300
V	B33-1000-2-342	White	50.80	42.16	9.53	24.13	1	250	B30-R4300
V	B33-1000-2-342YL	Yellow	50.80	42.16	9.53	24.13	1	250	B30-R4300
V	B33-1500-2-342-2	White	25.40	61.80	12.70	36.83	2	300	B30-R4300
V	B33-1500-2-342YL-2	Yellow	25.40	61.80	12.70	36.83	2	300	B30-R4300
V	B33-1500-2-342BK	Black	50.80	61.80	12.70	36.83	1	150	B30-R4500-SV
V	B33-1500-2-342	White	50.80	61.80	12.70	36.83	1	150	B30-R4300
V	B33-1500-2-342YL	Yellow	50.80	61.80	12.70	36.83	1	150	B30-R4300

Full material properties on page 224




PermaSleeve HT high temperature PVDF wire marking sleeves

High temperature, low outgassing. 2:1 Shrink ratio

- A 2:1 shrink ratio wire marker sleeve specifically designed for high temperature and low vacuum outgassing applications
- Made from irradiated high-temp Polyvinylidene Fluoride (PVDF) heat shrink tubing
- Fade-resistant and flame-retardant

Diagram	Order Reference	Colour	Width A (mm)	Height B (mm)	Min. Wire Diameter (mm)	Max. Wire Diameter (mm)	Labels per Row	Labels per Roll	Recommended Ribbon
Double-sided Printable									
	B33D-94-2-345BK	Black	50.80	4.60	0.60	2.00	1	1000	B30-R4500-SV
	B33D-94-2-345	White	50.80	4.60	0.60	2.00	1	1000	B30-R6000HF
	B33D-125-2-345BK	Black	50.80	6.00	1.20	2.80	1	1000	B30-R4500-SV
	B33D-125-2-345	White	50.80	6.00	1.20	2.80	1	1000	B30-R6000HF
	B33D-187-2-345BK	Black	50.80	8.50	1.60	3.80	1	750	B30-R4500-SV
	B33D-187-2-345	White	50.80	8.50	1.60	3.80	1	750	B30-R6000HF
	B33D-250-2-345BK	Black	50.80	11.15	2.40	5.50	1	500	B30-R4500-SV
	B33D-250-2-345	White	50.80	11.15	2.40	5.50	1	500	B30-R6000HF
	B33D-375-2-345BK	Black	50.80	16.40	3.20	8.10	1	500	B30-R4500-SV
	B33D-375-2-345	White	50.80	16.40	3.20	8.10	1	500	B30-R6000HF
	B33D-500-2-345BK	Black	50.80	21.60	4.80	11.40	1	350	B30-R4500-SV
	B33D-500-2-345	White	50.80	21.60	4.80	11.40	1	350	B30-R6000HF
	B33D-750-2-345BK	Black	50.80	31.80	6.60	17.80	1	250	B30-R4500-SV
	B33D-750-2-345	White	50.80	31.80	6.60	17.80	1	250	B30-R6000HF
	B33D-1000-2-345BK	Black	50.80	42.16	11.40	24.10	1	250	B30-R4500-SV
	B33D-1000-2-345	White	50.80	42.16	11.40	24.10	1	250	B30-R6000HF
	B33D-1500-2-345BK	Black	50.80	61.80	12.70	36.80	1	150	B30-R4500-SV
	B33D-1500-2-345	White	50.80	61.80	12.70	36.80	1	150	B30-R6000HF

*This size is only 3:1 shrink ratio



Did you know? - Technical data sheets

Looking for more information regarding a certain Brady material? Brady offers online access to technical data sheets for all Brady materials.

View a specific B-number or search by relevant keywords.

Visit www.bradyeurope.com/tds for more information.



“Drop & Click Print ribbons for quick and easy supply changes

- Tough, smear-proof ribbons that produce long-lasting printed text
- Print can withstand years in industrial areas and outdoor conditions
- Ribbons supplied in self-contained cartridges that drop straight into the printer with a “click”
- No calibrating, no threading, no waste, no hassle and the ink will always be facing the right direction
- Printer notifies user if installed ribbon is not recommended for the installed labels



Order Reference	Colour	Width A (mm) x Length B (m)
B30-R10000	Black	110.00 x 60.90
B30-R10000-BL	Blue	110.00 x 60.90
B30-R10000-GN	Green	110.00 x 60.90
B30-R10000-MA	Magenta	110.00 x 60.90
B30-R10000-OR	Orange	110.00 x 60.90
B30-R10000-RD	Red	110.00 x 60.90
B30-R10000-WT	White	110.00 x 60.90
B30-R10000-YL	Yellow	110.00 x 60.90
B30-R6000HF	Black	110.00 x 60.90
B30-R4300	Black	110.00 x 60.90
B30-R6600	Black	110.00 x 60.90
B30-R4400-WT	White	110.00 x 60.90
B30-R4500*	Silver	110.00 x 60.90
B30-R6700-WT	White	110.00 x 60.90
B30-R6400	Black	110.00 x 60.90
B30-R6200	Black	110.00 x 60.90
B30-R10000-YL2	Yellow	110.00 x 60.90
B30-R6000OC	Black	110.00 x 60.90

*This ribbon is for use with B-342 and B-345 Black PermaSleeves only.

**For printing yellow onto white B-595 use B30-R10000-YL. For printing yellow onto other colours of B-595 use B30-R10000-YL2.

***Black Heavy-Duty Print Ribbon to print Ochre B-595 on BBP3x Printers.



i3300 Print ribbon/material compatibility

B Number	Material		B30-R4300 Black	B30-R6000HF Black	B30-R6200 Black	B30-R10000 Black	B30-R4400-WT White	B30-R10000-WT White	B30-R4500 Silver	B30-R10000 Colours	B30-R6400 Black	B30-R6600 Black
B-342	Heat-shrink Polyolefin Sleeve	Matt	✓	✓	✓				✓			✓
B-345	High Temperature Heat-shrink Polyvinylidene Fluoride Sleeve	Matt	✓	✓					✓		✓	✓
B-424	Paper	Matt	✓									
B-425	Polypropylene	Matt	✓	✓		✓		✓		✓	✓	
B-428	Metallised Polyester	Matt	✓	✓	✓							
B-430	Polyester	Gloss		✓	✓							
B-432	Polyester	Gloss		✓			✓					
B-434	Metallised Polyester	Gloss		✓		✓		✓		✓		
B-438	Tamper-evident Metallised Polyester	Matt	✓	✓		✓	✓					
B-483	Polyester	Gloss		✓		✓						
B-486	Metallised Polyester	Matt	✓	✓		✓				✓		
B-489	Polyester	Matt	✓	✓								
B-498	Vinyl Cloth	Semi-gloss	✓		✓							
B-499	Nylon Cloth	Matt	✓	✓								
B-551	Polyester Tag		✓	✓		✓				✓		
B-565	Metallised Polyester	Matt		✓		✓						
B-593	Polyester	Gloss	✓	✓		✓	✓					
B-595	Vinyl	Gloss		✓		✓		✓		✓		
B-717	Polyimide	Gloss		✓			✓					
B-727	Polyimide	Gloss		✓	✓							
B-7563	Metallised Polyester	Satin	✓	✓	✓							
B-7569	Vinyl	Gloss	✓	✓		✓		✓		✓	✓	
B-7597	Polyethylene Tag	Matt	✓									
B-7642	Heat-shrink Polyolefin Sleeve	Matt	✓	✓					✓		✓	✓
B-8423	Polyester	Satin	✓	✓	✓				✓			✓